Imacustica
desde 1986

BOX • DESIGN
BY PRO-JECT AUDIO SYSTEMS

PHONO BOX E

PVP € 79,0

Preto: 9120050436350 / Branco: 912006518199

Pré-Amplificador Phono MM

• Optimal channel separation through dual-mono circuitry • Special low-noise ICs used • Gold plated RCA connection sockets • Outboard power supply included • Amplification and RIAA equalisation for MM cartridges • Small size allows installation close to record player • Stylish & robust synthetic casing • **PRETO** ou **BRANCO**

PHONO BOX E BT

PVP € 119,0

Preto: 9120050436350

Pré-Amplificador Phono MM com Emissor Bluetooth para Emissão Sem Fios da saída phono ou da entrada de linha.

• ***PERMITE QUE O SEU GIRA-DISCOS TRANSMITA MUSICA SEM FIOS***

• 2 Inputs: 1 Phono and 1 Line Input
• Suitable for MM cartridges • Precise RIAA equalisation
• Use analogue RCA & Bluetooth output simultaneously
• Low noise circuitry • Internal metal shielding

PHONO BOX E BT5

PVP € 159,0

Preto: 9120097829306

Pré-Amplificador Phono MM com Emissor Bluetooth BT5 aptX HD para Emissão Sem Fios da saída phono ou da entrada de linha.

• Bluetooth 5.0 streaming with aptX HD support
• Suitable for MM cartridges • Precise RIAA equalisation
• Use analogue RCA & BT output simultaneously
• Low noise circuitry • Internal metal shielding
• Gold-plated RCA connectors

NOVO

RECORD BOX E

PVP € 109,0

Preto: 9120050435117

Pré-Amplificador Phono MM com Saída USB e conversor A/D

• Digitalisation of analogue signals for recording direct to disk via USB with suitable recording programs • Automatic recognition, without additional driver, by standard PC • Runs on Windows® and Mac OS® operating systems • Optimal channel separation through dual-mono circuitry • Special low-noise ICs used • Gold plated RCA connection sockets • Outboard power supply included
• Dimensions: 120x32x100 (115)mm WxHxD (D with sockets) • Weight: 250g

Esta tabela anula as anteriores e pode ser alterada sem aviso prévio. IVA incluído à taxa legal em vigor.

Imacustica
desde 1986

BOX • DESIGN
BY PRO-JECT AUDIO SYSTEMS

OPTICAL BOX E PHONO

PVP € 149,0

Preto: 9120071657673

Pré-Amplificador Phono MM com conversor A/D e Entada/Saída de linha

Desenvolvido para interligar qualquer gira-discos a equipamentos que só tenham entradas digitais como Barras de Som

- Analogue RCA and digital optic output work simultaneously
- Works as input extender (2>1) or output splitter (1>2)
- 2 Inputs: 1 Phono and 1 Line In
- Suitable for MM cartridges • Precise RIAA equalisation • Low noise circuitry

BT BOX E

PVP € 89,0

Preto: 9120050435117 / Branco: 9120050436589

Receptor audio Bluetooth aptX

• Wireless music streaming with almost CD-quality • Compatible with all smartphones and tablet PCs, that support aptX & SBC Bluetooth codecs • Easy to install and use • Fast auto pairing (3 to 5 seconds) • Up to 8 different Bluetooth sources are memorized • Works within a range of approximately 10 meters • 3,5mm stereo analogue and Toslink digital outputs • **PRETO** ou **BRANCO**
• Dimensions: 120x32x100 (115)mm WxHxD (D with sockets) • Weight: 250g

NOVO

BT BOX E HD

PVP € 159,0

Preto: 9120097829184 / Branco: 9120097829221

Receptor audio Bluetooth de alta definição BT 5.0 + aptX + aptX HD

- Fácil de instalar e utilizar
- Rápido emparelhamento automático (3 a 5 segundos)
- Memorização até 8 fontes BT diferentes
- Alcance máximo aproximado até 10m
- Saída comutável analógica RCA e digital Toslink digital

DAC BOX E

PVP € 99,0

Preto: 9120050435131 / Branco: 912000050435148

Conversor Digital - Analógico

• Audio-upgrade for TV, Sat, Computer, etc. • 24bit/192kHz Cirrus Logic DAC chip • Supports 24bit audio data • Up to 192kHz sampling rates • Automatic signal sensing technology • Low clock jitter sensitivity • RCA connectors gold plated (in & out) • Stylish & robust synthetic casing • Colour options: **Black**

Imacustica
desde 1986

BOX•DESIGN
BY PRO-JECT AUDIO SYSTEMS

DAC BOX E MOBILE

PROMO **PVP € 79,0**

Conversor PORTÁTIL Digital - Analógico

- High resolution support up to 32bit/192kHz
- USB-C input • Extreme compact form factor
- No batteries needed
- Solid metal casing - Dimension: 28x14x69.2mm (WxHxD)
- *PROMOÇÃO disponível apenas no acabamento PRETO.*

Série Clássica

PHONO BOX

PVP € 100,0

Preto: 9120035827210 / Prateado: 9120035827227

MM/MC Phono preamp with line output

• Preamplifier for MM or MC with switch on rear panel • Optimal channel separation through dual-mono circuitry • „Green“ DC power supply (< 1 watt standby power) • Precise RIAA equalisation • Low noise ICs • Output stage with ultra-low impedance • Gold-plated RCA sockets • Small size for installation near record player • Metal casing protects against vibration and interference
• Dimensions: 103x36x103 (109)mm WxHxD (D with sockets) • Weight: 540g

PHONO BOX USB

Prateado - PVP € 150,0

9120035827135

MM/MC Phono preamp with line & USB outputs

• High quality A/D conversion with USB out to PC/Mac • Compatible with Windows®, Mac OS®
• SMD technology for shortest signal paths

Imacustica
desde 1986

BOX•DESIGN
BY PRO-JECT AUDIO SYSTEMS

Pre Box S2 Digital

PVP € 399,0

High End 32/768 DSD512, MQA D/A Converter and headphone amplifier

• Dual 32bit/768kHz ESS DAC chip (ESS9038Q2M) for ultimate performance • ESS9063 headphone amplifier chip • ESS9311 low noise, low dropout regulator • Up to DSD512 support (DoP) • Full MQA hardware decoding • 8 selectable digital filters • Inputs: Asynchronous USB B, 1x optical (S/PDIF), 1x coaxial (S/PDIF) • Analogue output: 1x Variable/Fix RCA (Rear), 1x 6.35mm (Front) • Superior low jitter (1psec) • THD+N 0.0003% • Dynamic range 124dB • Full coloured OLED display • Proprietary Optimum Transient digital filter • Proprietary clock design • Organic polymere capacitors • Thin film miniMELF resistors • Gold-plated four-layer PCB with extra shielding • Sandwich metal casing for highest aesthetics, protects against vibration and interference • Colour options: silver or black • Dimensions: 103x37x120mm WxHxD

Stream Box S2 Ultra

PVP € 699,0

• High resolution network bridge • Audio optimized USB A output • Multi-room enabled • Dual USB A input for external storage • TIDAL supported • Spotify Connect • Network-enables any modern DAC with USB input • Internet radio • DLNA enabled • Bypasses all audio formats to the DAC • Cleans up the audio signal from a PC • Roon ready • Shairport • Bluetooth (for control) • Uses dedicated power supplies • HDMI video output • Controllable via smart devices and PC/Laptop • New control app • Ethernet and WiFi connectivity • Weight: 375 g (without power supply) • Colour options: silver or black

Stream Box S2

PVP € 299,0

• Compact multiroom streamer • 24/192 streaming client • Spotify Connect, TIDAL • TuneIn, iHeartRadio internet radios • UPnP, DLNA support • Multi-room • Stereo pairing • ESS9023 DAC • WAV, ALAC, FLAC, MP3, APE, AAC • Line Input • Fixed, variable analogue & optical ouptuts • Shairport • WiFi 802.11 b/g/n • Free control App „Pro-Ject Stream S2) (iOS/Android) • Full aluminium/metal casework • Weight 375 g (without power supply) • Colour options: silver or black

Imacustica
desde 1986

BOX•DESIGN
BY PRO-JECT AUDIO SYSTEMS

Pre Box S2 Analogue - Stereo pre amplifier **PVP € 249,0**

• High End pre amplifier with 4 line level inputs (2x RCA, 2x 3.5mm) • 1x RCA variable out • THD+N 0.0005% • SNR –105dB • Gain 8.5dB • Crosstalk 80dB • Frequency response 20Hz-80kHz • Output Voltage: up to 9V • Sandwich metal casing for highest aesthetics, protects against vibration and interference • Dimensions: 103x37x120mmmm WxHxD • Colour options: silver or black

Amp Box S2 - Micro stereo power amplifier **PVP € 239,0**

• High End stereo power amplifier with 1 line level input (RCA) • 2x 43 watts @ 4 ohms • SNR 76dB • Gain 32dB • Crosstalk 76dB • Frequency response 20Hz-20kHz • Inputs: 1x Line In • Outputs: Speakers • Sandwich metal casing for highest aesthetics, protects against vibration and interference • Dimensions: 103x37x118mm mm WxHxD • Colour options: silver or black

Stereo Box S2 - Stereo amplifier **PVP € 225,0**

• High End integrated amplifier with 3 (2x RCA, 1x 3.5mm) line level inputs • 1x 3.5mm record out • 2x 43 watts @ 4 ohms • SNR 76dB • Gain 32dB • Crosstalk 76dB • Frequency response 20Hz-20kHz • Sandwich metal casing for highest aesthetics, protects against vibration and interference • Dimensions: 103x37x125mm WxHxD (with sockets) • Colour options: silver or black

Stereo Box S2 BT - Stereo amplifier with Bluetooth input **PVP € 265,0**

• High End integrated amplifier with 2 line level (RCA) and one Bluetooth input (Antenna included) • 1 variable 3.5mm output • 2x 43 watts @ 4 ohms •SNR 76dB • Gain 32dB • Crosstalk 76dB • Frequency response 20Hz-20kHz • Sandwich metal casing for highest aesthetics, protects against vibration and interference • Dimensions: 103x37x125mm WxHxD (with sockets) • Colour options: silver or black

Imacustica
desde 1986

BOX DESIGN
BY PRO-JECT AUDIO SYSTEMS

Série S2 - Amplificação

MaiA S2 – Stereo Integrated Amplifier **PVP € 440,0**

• Stereo integrated amplifier with 9 input options • 2x38 watts @ 4 ohms • Dual mono design principle • Inputs: 3x stereo line, 1x phono (RCA), 1x Bluetooth (aptX), 2x digital optical, 1x digital coax, 1x USB • XMOS asynchronous USB • DAC: Cirrus Logic CS4344 24bit/192kHz Multi-bit Delta Sigma • 4th generation Bluetooth with aptX capability & antenna • Phono MM + high output MC input

• Volume control with motor driven potentiometer • Headphone output • Variable output for subwoofer or second zone amp • IR remote included • Improved all-aluminium case and board layout improve electromagnetically interference Dimensions W x H x D: 206 x 38 x 165 (176mm with sockets) • Weight: 925g without power supply

Série S2 - Fontes

Bluetooth Box S2 - Micro aptX Bluetooth receiver **PVP € 150,0**

• Supports A2DP, aptX • Digital inputs: 1x Bluetooth (Antenna included), 1x optical (S/PDIF) • Analogue outputs: 1x Fixed RCA • Output Voltage 2V RMS • THD+N 0.11% • 10 meter range • Sandwich metal casing for highest aesthetics, protects against vibration and interference • Colour silver or black

• Dimensions: 103x37x116mm WxHxD

BT Box S2HD **PVP € 199,0**

Audiophile high-definition Bluetooth 5.0 audio receiver

• BT 5.0 • Wireless music streaming in high definition • Supports aptX, aptX-HD e SBC codecs • Dedicated high-quality analogue output buffer stage • Easy to install and use • Fast auto pairing (3 a 5 seg.) • Up to 8 different BT sources and memorized • Works within a range of 10m • RCA stereo analogue and optical Toslink output • 1x Bluetooth (Antenna included) Colour silver or black

• Dimensions: 103x37x116mm WxHxD

DAC Box S2 + - High End 32/768 DSD512, MQA D/A Converter **PVP € 275,0**

• 32bit/768kHz ESS DAC chip (ESS9038Q2M) for ultimate performance • ESS9311 low noise, low dropout regulator • Up to DSD512 support (DoP) • Full MQA hardware decoding • 5 selectable digital filters • Inputs: Asynchronous USB B, 1x optical (S/PDIF), 1x coaxial (S/PDIF) • Analogue output: 1x Fixed RCA • Superior low jitter (1psec) • THD+N 0.0007% • Dynamic range 120dB • Proprietary Opti- mum Transient digital filter • Proprietary clock design • Organic polypropylene capacitors • Thin film miniMELF resistors • Gold-plated four-layer PCB with extra shielding • Sandwich metal casing for highest aesthetics, protects against vibration and interference • Colour options: silver or black • Dimensions: 103x37x111mmWxHxD

Imacustica
desde 1986

BOX•DESIGN
BY PRO-JECT AUDIO SYSTEMS

Série S2 - Fontes

Head Box S2 - High End headphone amplifier **PVP € 139,0**

• Superior low distortion • Low noise components for ultimate sound performance • Output: 6,3mm (Front), 1x RCA Bypass (Rear) • Inputs: 1x RCA • 725mW into 32 Ohms (both channels driven) • THD+N 0.01% • SNR –110dB • Crosstalk 68dB • Gain 11dB • Sandwich metal casing for highest aesthetics, protects against vibration and interference • Colour options: silver or black • Dimensions: 103x37x120mmWxHxD

Head Box S2 Digital **PVP € 295,0**

High End 32/768 DSD512, MQA D/A Converter and headphone amplifier

• 32bit/768kHz ESS DAC chip (ESS9038Q2M) for ultimate performance • ESS9063 headphone amplifi- er chip • ESS9311 low noise, low dropout regulator • Up to DSD256 support (DoP) • Full MQA hardware decoding • 5 selectable digital filters • Inputs: Asynchronous USB B, 1x optical (S/PDIF), 1x coaxial (S/PDIF) • Analogue output: 1x Fixed RCA (Rear), 1x 6.35mm (Front) • Superior low jitter (1psec) • THD+N 0.0007% • Dynamic range 120dB • Proprietary Optimum Transient digital filter • Proprietary clock design • Organic polypropylene capacitors • Gold-plated four-layer PCB with ex- tra shielding • Thin film miniMELF resistors • Sandwich metal casing for highest aesthetics, protects against vibration and interference • Colour options: silver or black • Dimensions: 103x37x120mm WxHxD

Tuner Box S2 - Compact FM Tuner **PVP € 179,0**

• Intuitive FM tuner source device • Advanced internal design for optimal fidelity • Informative display with "dim" light setting • RCA outputs for easy connection to an amplifier • 75Ω FM antenna input • Included remote control • 99 pre-set options • Manual or automatic scanning • Trigger input and output • Premium S2 chassis • Available in black or silver

Imacustica
desde 1986

BOX DESIGN
BY PRO-JECT AUDIO SYSTEMS

Série S2 - Phono

PHONO BOX S2 - Phono preamplifier **PVP € 179,0**

• MM & MC capable • Switchable input impedance/capacitance • 1x RCA Phono input • 1x RCA line level output • Subsonic filter (switchable on rear panel) • Substantial setup options • Loading imped- ance 10/100/1k/47k Ohms • Loading capacity 100/200/320/420 pF • Gain 40/43/60/63dB • THD+N 0.01% (MM)/ 0.05% (MC) • SNR 85dB • RIAA accuracy <0.4dB • Sandwich metal casing for highest aesthetics, protects against vibration and interference • Colour options: silver or black • Dimensions: 103x37x119mm WxHxD

PHONO BOX S2 ULTRA **PVP € 249,0**

Discrete MM/MC Phono preamplifier

• Audiophile performance • Dual mono configuration • Audiophile-grade amplification modules • Audioplhile-grade polypropylene WIMA capacitors • Precise RIAA equalization • Switchable Subsonic filter – 12dB @ 20HZ • Switchable input impedance/capacitance • 4 adjustable gain levels • Outstanding sound quality • Weight: 570g • Colour options: silver or black

Tube Box S2 - MM/MC Phono tube preamplifier **PVP € 379,0**

• MM & MC support • 1x RCA Phono In • 1x RCA Line Out • Precise RIAA equalisation • Ultra low noise circuitry • Tube output stage with pre-mounted cool dampers • Switchable subsonic filter • Loading impedance 10/100/470/1k/2k/47k Ohms • Loading capacity 50/150/270/370/490/590 pF • Gain 40/43/50/53/60/63dB • THD+N 0.025% (MM) • SNR 77dB • RIAA accuracy <0.4dB • Discreet design without OpAmps • Polystyrene capacitors used where possible • Gold plated RCA sockets • Sandwich metal casing for highest aesthetics, protects against vibration and interference • Front- sided On/Off switch • Colour options: silver or black • Dimensions: 103x37x119mm WxHxD (H with- out tubes)

Imacustica
desde 1986

BOX•DESIGN
BY PRO-JECT AUDIO SYSTEMS

Série S2 - Phono

A/D Box S2 Phono

Preto - PVP € 180,0

MM/MC Phono preamplifier with USB digital output

• 1x Phono In (RCA), 1x Line In (3.5mm) • 1x micro USB Out, 1x RCA Line Out • MM & MC support • Ultra low noise circuitry • Loading impedance 100/47k Ohms • Loading capacity 120 pF • Gain 40/56 • THD+N 0.05% (MM) 0.04% (MC) • RIAA accuracy <0.4dB • 2x RCA in/outputs • Switchable subsonic filter • Gold plated RCA sockets • Sandwich metal casing for highest aesthetics, protects against vibration and interference • Front-sided On/Off switch • Dimensions: 103x37x127mm WxHxD

Série S2 - Acessórios

ACCU Box S2 USB - Accu power supply

Prateado - PVP € 175,0

• Accu Box S2 USB is designed to work with our **5V driven products**, namely: BT Box S2, Pre Box S2 Digital, Pre Box S2 Analogue, DAC Box S2 +, Head Box S2 Digital, Head Box S2 and possible future products.
• Li-Ion accu driven power supply • 1x 5V USB A output • 2600mAh capacity • 1x Charger power input • LED indicators for charging and Mains on front panel • Superlative audiophile power transmission • Colour: silver or black • Dimensions: 103x37x106mm WxHxD

Control It Pre Box S2 Digital

PVP € 50,0

Luxurious remote control for Pre Box S2 Digital

• Controls volume level and settings of Pre Box S2 Digital • Control your playback software with comfortably with the remote • Pre-programmed - no setup necessary • Simple and easy to use • Widespread IR emission up to 135°
• High quality aluminium/metal sandwich construction • Available in silver only

Imacustica
desde 1986

BOX • DESIGN
BY PRO-JECT AUDIO SYSTEMS

DAC & Streaming Set S2 – PRE BOX S2 Digital + STREAM BOX S2 Ultra

PVP € 1.200,0

• High End ESS Sabre ESS9038 DAC • Proprietary clock circuity design • Organic polymer capacitors and thin film miniMELF resistors • 32bit / 768kHz PCM support • DSD64, DSD128 & DSD256 (DSD over PCM) • Up to 24bit/192kHz for optical & coax inputs • 5 selectable digital filter characteristics • 1 proprietary optimum transient digital filter • Synchronization of all internal oscillators
• Jitter as low as 100 Femtoseconds • Gold plated four layer PCB • Weight: 355g without power supply • Full alu/metal sandwich casing.

MaiA S2 Chrome + CD Bos S2 Chrome Set

PVP € 1.350,0

MaiA S2 Chrome **PVP € 780,0**

• Stereo integrated amplifier with 9 input options • 2x38 watts @ 4 ohms • Dual mono design principle • Inputs: 3x stereo line, 1x phono (RCA), 1x Bluetooth (aptX), 2x digital optical, 1x digital coax, 1x USB • XMOS asynchronous USB;• DAC: Cirrus Logic CS4344 24bit/192kHz Multi-bit Delta Sigma • 4th generation Bluetooth with aptX capability & antenna • Phono MM + high output MC input;
• Volume control with motor driven potentiometer • Headphone output • Variable output for subwoofer or second zone amp • IR remote included • Improved all- aluminium case and board layout improve electromagnetical interference Dimensions W x H x D: 206 x 38 x 165 (176mm with sockets) • Weight: 925g without power supply

CD BOX S2 Chrome **PVP € 680,0**

• Smallest Hifi CD player on the market • Mini-PC controlled drive • 32bit/384kHz DAC for precise playback of Audio-CDs • 2 different digital filters selectable (FIR and IIR) • Optical TOSlink S/PDIF Digital output • Slot-in mechanism • Remote control with volume level adjustment of Pro-Ject amplifiers • New all-aluminum case in beautiful S2 design protects against vibration and interference;
• Dimensions W x H x D: 205 x 37 x 155 (165mm with sockets) • Weight: 950g without power supply

ACCU Box S2 Chrome **PVP € 325,0**

• Superlative audiophile power transmission • Accu driven power supply • No disturbing interferences through mains • ***Perfect for all phono electronics and turntables*** • 1 x 18V output • 1 x 5V USB A output • LED indication for charging and mains • Full aluminium/metal casework

Imacustica
desde 1986

BOX•DESIGN
BY PRO-JECT AUDIO SYSTEMS

NOVO - Série S3

CD BOX S3

Preto/Prateado - PVP € 449,00

The CD Box S3 is our first product of the new S3 line. The complete aluminium casework has undergone a significant change & the CD Box S3 introduces our completely new S3 size.

The reworked circuit design brandishes a 1,54“ display with a colour inversion feature thatshows your favorite CD‘s relevant information.

Easily control the CD player with the buttons on the front or the supplied remote control.

PHONO BOX S3 B

Preto/Prateado - PVP € 399,00

Balanced Phono Stage

The Phono Box S3 B is an entry-level phono preamplifier that offers a fully balanced design in a neat, small package. We've packed this tiny chassis to the brim with high-end features:

- **NEW -** 5-pin mini XLR balanced input
- **NEW** balanced XLR outputs
- **NEW** fully symmetrical & discrete gain stage
- **NEW** accessible buttons on the faceplate



Imacustica
desde 1986

BOX•DESIGN
BY PRO-JECT AUDIO SYSTEMS

NOVO - Série S3

AMP BOX S3

Preto/Prateado - PVP € 299,00



Micro Amplificador de potência estéreo audiófilo

Eficiente, audiófilo e fabricado na Europa!

O novo Amp Box S3 oferece uma entrada RCA estéreo e um som poderoso que preenche a sala para todos os tipos de colunas. O novo conceito de PCB e a topologia sofisticada garantem menos distorção e uma melhor relação sinal-ruído. A Pro-Ject projectou este amplificador para corresponder às características de som de um amplificador a válvulas. O Amp Box S3 proporciona um som rico e musical com um toque analógico.. Também é a solução perfeita para colunas monitoras "nearfield"a utilizer na sua área de trabalho devido ao seu tamanho e palco de som espaçoso superior.

MAIA BOX S3

Preto/Prateado - PVP € 599,00

- **Novo – Estrutura premium S3 em alumínio rígido para protecção contra interferências.**
- **Novo - Bluetooth 5.0 - aptX HD - 24-bit até 48kHz**
- 2 x 40 watts @ 4 ohms
- Design "Dual mono"
- 8 inputs - 5x analógicos, 3x digital & 1x wirless BT
- Cirrus Logic CS4344 24bit/192kHz Multi-bit Delta Sigma
- S/PDIF inputs suporta até 24bite 192kHz
- Phono MM, MI + high output MC input
- Controlo de volume analógico via potenciómetro motorizado.
- Saída auscultadores 6,3mm
- Saída variável para subwoofer ou amplificador de 2ª zona
- Controlo remoto incluído

Imacustica
desde 1986

BOX•DESIGN
BY PRO-JECT AUDIO SYSTEMS

Série DS2

Pre Box DS2 Analogue

Stereo Line Preamplifier

Preto / Prateado - PVP € 549

• 5 line level inputs • Relais switching of inputs • 1x Pre-Out, 1x Subwoofer-Out, 1x Record-Out • 2 Gain settings (0/+6dB) • Extremely low output impedance for low loss with long cables • IR remote control • Trigger switching of power amplifiers • Sandwich metal casing for highest aesthetics, protects against vibration and interference • Dimensions: 206x72x200 (210)mm WxHxD (D with sockets)

Pre Box DS2 Digital

Pre-Amplificador com andar phono MM/MC; Saída Auscultadores; DAC Hi-Res PCM e DSD; Bluetooth; Roon tested

Prateado – PVP € 690

Prateado / Eucalipto – PVP € 690

32bit/768kHz AKM DAC chip (***AKM4490***) • AKM Sample rate converter (AK4137) • Dynamic range 113 dB • Based on XMOS technology • Inputs: Asynchronous USB (max. 32bits/768kHz), 2x optical S/PDIF, 1x coaxial S/PDIF, 1x Phono, 1x Line In, 1x Bluetooth (antenna included) • Outputs: Headphone (6,3mm), Pre-Out, RCA, variable and fixed, Sub out • 2 Gain settings (0/+6dB) • Sandwich metal casing for highest aesthetics, protects against vibration and interference • Dimensions: 206x72x200 mm WxHxD

hi-finews OUTSTANDING PRODUCT

Amp Box DS2

Stereo power amplifier

Preto/Prateado - PVP € 695

Prateado / Walnut – PVP € 695

• 2x 140/100 watts @ 4/8 ohms • Improved signal spectrum and lower distortion • 2 ohms drive capability • High efficiency from mains to audio power (92%) • Low heat emission • Stereo line level input (RCA) • Audiophile Class D amplifier modules • Gold-plated 5-way speaker binding posts • Suitable for banana/spade/pin/bare wire • Trigger input & loop out • Sandwich metal casing for highest aesthetics, protects against vibration and interference • Dimensions: 206x72x200 mm WxHxD

Imacustica
desde 1986

BOX•DESIGN
BY PRO-JECT AUDIO SYSTEMS

Série DS2

MaiA DS2

App controllable stereo integrated amplifier with digital and analogue inputs

Prateado / Rosenut - PVP € 850

• High End integrated amplifier with 3 line, 1 phono (MM/MC), 1 digital coax, 2 digital optic & 1 wireless high definition aptX Bluetooth input • 2x 95 watts @ 4 ohms • XMOS asynchronous USB (24bit / 192kHz) • 24bit / 192kHz D/A converter (PCM 1796) • Headphone output • Also controls IR components like Tuner Box, CD Boxes and others via Box Control App • 2 Gain settings (0/+6dB) • Sandwich metal casing for highest aesthetics, protects against vibration and interference • Dimensions: 206x72x200 mm WxHxD

Amp. Auscultadores

Head Box DS2 B

High End Balanced headphone amplifier

Preto - PVP € 450
Preto / Eucalipto – PVP € 450

• Fully balanced double mono design • Adaptive impedance circuitry for ultimate performance of low and high impedance headphones • Superior low distortion • 4 Gain settings • 3 current settings • Low noise components for ultimate sound performance • Output: 6,3mm (single ended), 4 Pin XLR (balanced) • 2 Inputs: RCA, XLR • 700mW into 30 Ohms (both channels driven) • Phase inverter on input to convert unbalanced signal to balanced signal • Sandwich metal casing for highest aesthetics, protects against vibration and interference • Dimensions: 206x72x200mm WxHxD • Weight: 1800g

Conversor D/A

DAC Box DS2 ultra

High End 32/768 DSD256 D/A Converter

Prateado - PVP € 550

• 32bit/768kHz AKM DAC chip (AK4490) for ultimate performance • AKM sampling rate converter AK4137 • Up to DSD256 support (DoP) • 3 selectable sound modes • 5 selectable digital filters • Inputs: Asynchronous USB, 3x optical (S/PDIF), 2x coaxial (S/PDIF) • Analogue output: fixed RCA • Digital output: 1x optical (S/PDIF) • Sandwich metal casing for highest aesthetics, protects against vibration and interference • Dimensions: 206x72x200 (210)mm WxHxD (D with sockets) • Weight: 1890g

Imacustica
desde 1986

BOX•DESIGN
BY PRO-JECT AUDIO SYSTEMS

CD Box DS2 T

High End CD Transport

Preto - PVP € 650
Prateado/Eucalipto – Prateado/Walnut – PVP € 550

• Supports CD, CD-R, CD-RW and hybrid SACD • Digital outputs: 1x coaxial (S/PDIF), 1x optical (S/PDIF), 1x AES/EBU (XLR) • Luxurious slot-in mechanism • High contrast, dimmable dot-matrix display • IR remote control included • Trigger in/out • Sandwich metal casing for highest aesthetics, protects against vibration and interference • Dimensions: 206x72x200 (210)mm WxHxD (D with sockets) • Weight: 1620g

Phono

PHONO BOX DS2

Phono preamplifier

Preto - PVP € 349

• MM & MC capable • Switchable input impedance/capacitance • 1 Phono input • Subsonic filter (switchable on front panel) • Substantial setup options • Comfortable switching via buttons on front • Sandwich metal casing for highest aesthetics, protects against vibration and interference • Dimensions: 206x72x200 mm WxHxD

Tube Box DS2

MM/MC Phono TUBE preamplifier

Preto - PVP € 799

• MM & MC support • Precise RIAA equalisation • Ultra low noise circuitry • Tube output stage with pre-mounted cool dampers (in chrome) • Stepless input capacitance adjustment • 2x RCA in/ outputs • Switchable subsonic filter • 2 Gain settings (0/+6dB) • Gold plated RCA sockets • Sandwich metal casing for highest aesthetics, protects against vibration and interference • Front-sided On/Off switch • Weight: 1650g • Dimensions: 206x72x200 mm WxHxD

LATERAIS EM MADEIRA P/SERIE DS2 e DS3

PVP € 99

Walnut: 9120097827654 / Eucalipto: 9120097827661 / Rosenut: 9120097827951

- **NOVO -** Paineis Laterais em Madeira para serie DS2 e DS3
- **NOVO - Instalação Magnética**
- **NOVO -** 3 acabamentos em madeira
- Conjunto de 2 paineis – dimensões: 193x68x11mm



Imacustica
desde 1986

BOX • DESIGN
BY PRO-JECT AUDIO SYSTEMS

NOVO - Série DS3

CD BOX DS3

Preto/Prateado - PVP € 699,00

Our CD Box DS3, the first component of our completely new DS3 line, can be integrated with existing DS2 products because the dimensions are the same.

The new CD Box DS3 maintains the best features of its predecessors and adds the acclaimed Texas Instruments PCM1796 DAC. The buttons on the face allow easy control – the supplied remote control offers convenience. The high contrast dot-matrix display shows you all the relevant information you need from your favorite CDs.

- True Red Book CD Player
- CD-80 Blue Tiger Servo
- 4-Point Intelligent Suspension
- Rigid Aluminium Case

PHONO BOX DS3 B

Preto/Prateado - PVP € 599

At Pro-Ject, balanced connections were exclusive to our RS range of products until now.
The Phono Box DS3 B model offers some of the high-end features of the Phono Box RS2 at an affordable price, trusted Pro-Ject quality, and the following features:

- **NEW** - balanced XLR in & outputs
- **NEW** - 5-pin mini XLR balanced input
- **NEW** fully symmetrical & discrete gain stage
- **NEW** fully passive & discrete RIAA equalisation
- **NEW** fully discrete audio circuitry - NO Op-amps!

Imacustica
desde 1986

BOX • DESIGN
BY PRO-JECT AUDIO SYSTEMS

Série RS

PRE BOX RS DIGITAL

Prateado - PVP € 895

Class-A preamplifier with headphone output & built-in D/A converter (DSD capable)

• Double 24bit/192kHz BurrBrown DAC chip (1792) for highest performance from one DAC • Additional second switchable 32bit/384kHz BurrBrown DAC chip for true 32/384 conversion • Pre Output XLR & RCA • Headphone amplifier can switch impedance and damping factor from front panel • Unique feature allows it to continuously change sonic character between Push-Pull (PP) to Single Ended (SE) • Dynamic range 132 dB • Asynchronous data transfer from USB 32bits/384kHz • Based on XMOS technology • Precision masterclock • Inputs: Asynchronous USB (max. 32bits/384kHz), 3x optical S/PDIF, 2x coaxial S/PDIF, AES/EBU digital, RJ45 I2S discrete differential digital input for CD BOX RS, RCA analogue, XLR analogue • Outputs: Headphone (6,3mm), Pre-Out, RCA, XLR, variable and fixed • Metal casing protects against vibration and interference • Dimensions: 206x72x200 (210)mm WxHxD (D with sockets) • Weight: 1950g

Optional Upgrade: Linear power supply Power Box RS Uni 1 (or 4) for further improved sound quality

AMP BOX RS

Preto - PVP € 895

High End Stereo power amplifier

• Fully balanced double mono design (Pulse Wave Modulation) • 2x 120 / 90 watts @ 4 / 8 ohms •
Highly efficient conversion from mains to output power (92%) • 2 ohms drive capability • Tube buffer stage with reference quality • SMD construction for shortest signal paths • Low heat emission • Line level preamp inputs (RCA & XLR) • Top-quality speaker terminals • Metal casing protects against vibration and interference • Dimensions: 206x72x200 (220)mm WxHxD (D with sockets) • Weight: 2120g

Optional Upgrade: Linear power supply Power Box RS Amp for almost double power output and further improved sound quality, connection for 1 stereo amp provided

DAC BOX RS

Prateado - PVP € 650

Ultimate Class-A tube balanced output D/A converter (DSD capable)

• Double output stage allows selection between tube and solid state • Possibility to disconnect heating and anode voltage including their power supplies in order to expand tube lifespan and save energy • Double 24bit/192kHz5 BurrBrown DAC chip (1792) for highest performance • Precision masterclock • Inputs: Asynchronous USB, 4x optical S/PDIF, 2x coaxial S/PDIF, AES/EBU digital input, RJ45 I2S discrete differential digital input for CD BOX RS • Outputs: RCA and XLR • Metal casing protects against vibration and interference • Dimensions: 206x72x200 (220)mm WxHxD (D with sockets) • Weight: 1010g

Optional Upgrade: Linear power supply Power Box RS Uni 1 (or 4) for further improved sound quality

Imacustica
desde 1986

BOX•DESIGN
BY PRO-JECT AUDIO SYSTEMS

Série RS

STREAM BOX RS

Prateado - PVP € 950

24bit/192kHz highend audio with Wi-Fi, LAN, USB

• 24 bit / 192 kHz Hires Audio streaming client • Spotify Connect support (firmware 4.0.61.83 or higher) • Lossless-Streaming with TIDAL • XLR & RCA output • Volume control via analogue Alps potentiometer • Fully balanced double mono triode tube output stage • Top notch Highend PCM 1792A DAC • WAV, AIFF, FLAC, WMA9 lossless, ALAC & AAC • FLAC decoding for all 9 compression levels including level 0 (data rate up to approximately 9 mbit/s) • 1x digital coax & 1x digital optical inputs • Gapless playback of all audio formats • Fixed analogue & digital coax outputs (RCA) • Wifi 802.11 b/g allowing real 24/192 over Wifi

• Special proprietary NetAPI implemented for fast access • Free Control APP (iOS & Android)

PHONO BOX RS

PVP € 995

High End phono preamplifier

• MM & MC capable • Fully balanced double mono design • Fully passive RIAA & DECCA equalisation • Unique continuously variable input impedance loading, matches every cartridge (adjustment even while playing) • RCA & XLR In & Out • Superior low noise / low distortion • Classy & elegant dip switches • Metal casing protects against vibration and interference • Colour options: silver or black

• Dimensions: 206x72x200 (210)mm WxHxD (D with sockets) • Weight: 2000g

Optional Upgrade: Linear power supply Power Box RS Phono for further improved sound quality

Imacustica
desde 1986

BOX • DESIGN
BY PRO-JECT AUDIO SYSTEMS

Série RS2 Line

CD BOX RS2 T

PVP € 2.195

Ultimate CD Transporte

• Top loading CD drive • Magnetic clamp • Plays CD Audio, CD-R, CD-RW, Hybrid SACD • Blue Tiger CD-Pro 8 top loading module with suspension system and CD-84 servo board • I2S + Masterclock via HDMI connector • LCD screen displays time, tracks, text (if available) • Gravity design with central mass point • Supports: CD, CD-R, CD-RW (finalized) and Hybrid-SACD (44.1kHz/16bit CD layer only) • Digital outputs: AES3: 1 x balanced (AES/EBU) on XLR connector S/PDIF: 1 x optical (TOSlink®) 1 x coaxial (RCA socket) I2S + Master Clock: 1 x HDMI connector • Aluminium IR remote included • Available in a silver or black high-quality aluminium chassis.

• Dimensions W x H x D (D with sockets): 206 x 78 x 200 (210)mm • Weight: 3.000g without power supply

PRE BOX RS2 DIGITAL

PVP € 1.995

• Dual Mono DACs: 2x ESS9038Q2M 32-bit • PCM 32Bit/768kHz, DSD512 (over USB) • 7 digital inputs: i2S HDMI, AES/EBU, TOSlink, S/PDIF coax, USB, Bluetooth • 2 analogue inputs: unbalanced RCA, balanced XLR • 7 digital + 2 analogue filters • Unbalance RCA, balanced XLR, Headphone outputs • Hardware MQA Decoder and Renderer • Advanced upsampling and re-clocking for MQA and PCM • Output stage switchable between tube and solid state • i2S + Masterclock connection over HDMI for use with CD Box RS2 T • IR remote in full aluminium chassis included • Available in silver and black

Imacustica
desde 1986

BOX•DESIGN
BY PRO-JECT AUDIO SYSTEMS

Série RS2 Line

DAC BOX RS2 — PVP € 1.795

High End DAC

• Dual Mono DACs: 2x ESS9038Q2M • High Quality optionally selectable upsampling of PCM and/or MQA content with proprietary filtering

• Advanced re-clocking powered by new XMOS chip with Mulit-Core RISC architecture

• 6 digital inputs: asynchronous USB, i2S HDMI, AES/EBU, Toslink, S/PDIF coax

• Fully balanced double mono design

• Output stage switchable between 6922 tube & solid state • Ultra-linear and ultra low noise

• New high-quality display with responsive and fast UI design

• High quality full Aluminium remote control included • Available in black and silver

PHONO BOX RS2 — PVP € 1.595

High End phono preamplifier

• Fully balanced, fully discrete phono preamp of the highest class • MM & MC capable • Fully balanced, true dual mono design • Fully discrete hardware design - NO Op-amps! • Fully passive RIAA & DECCA equalisation • Balanced XLR & unbalanced RCA In & Outputs • Unique continuously variable input impedance loading and channel balance control to match every cartridge to 100% (adjustment even while playing) • Superior low noise / low distortion • Metal casing protects against vibration and interference • Available in silver or black

POWER BOX RS2 PHONO — PVP € 895

Linear power supply for Phono Box RS2 with battery power output

• High filtration capacity • Precise voltage regulation • Surge protection • Low noise components for ultimate sound performance • Power Box RS Phono offers virtual battery power to Phono RS • Metal casing protects against vibration and interference • Colour options: silver or black

• Dimensions: 201x72x195mm WxHxD (D with sockets) • Weight: 2030g

Imacustica
desde 1986

BOX•DESIGN
BY PRO-JECT AUDIO SYSTEMS

Colunas – Série E

Speaker Box 5

Compact 2-way monitor speaker

Par - PVP € 275

• Audiophile bass-reflex design • Recommended amplifier power 10 to 150 watts • Magnetically shielded • Front cover with magnetic attachment • Frequency response 55Hz - 20kHz • Gold-plated speaker terminal (single-wired) • Wall-mount included • High-gloss piano-lacquer finish – white and black.
• Dimensions: 160x255x200 (210)mm WxHxD (D with grille) • Weight: 4,2kg each

Colunas – Série S2

Speaker Box 5 S2

Reference bookshelf speaker made in Europe

Acabamento Madeira - Par - PVP € 640

Acabamento Cor Acetinado - Par - PVP € 490

• Bass reflex via rear port • Recommended amplifier power 10 to 150 Watts RMS • Frequency response 55Hz-20kHz • Nominal impedance 8 Ohms • Sensitivity 86dB (1W/1m) • Chassis: 1” silk dome tweeter, 4.5” paper cones bass/mids • Real wood veneer for highest aesthetics - Walnut, Eucalyptus
• ***Acabamento Cor Acetinado – Preto, Azul, Verde, Branco e Amarelo***
• Dimensions: 160x271x215mm HxWxD • Weight 4.9kg /piece

Colunas – Subwoofer

Sub Box 50

PVP € 250

• 100W Audiophile subwoofer • Full sound for any room • Compact size • Perfect companion for Speaker Box 5 and 10 • Low and High level input • Three amplifier modes • Down-firing bass driver • Metal back plate • Ultra stiff non resonating MDF cabinet
• Dimensions: 205x280x205 mm (WxHxD) • Weight: 6.0 kg • Colour options: High gloss white, black.

Imacustica
desde 1986

BOX•DESIGN
BY PRO-JECT AUDIO SYSTEMS

Colunas – Série DS2

Speaker Box 5 DS2

High End bookshelf speaker made in Europe

Par - PVP € 750

• Audiophile bass-reflex design • Sophisticated internal bracing • Recommended amplifier power 10 to 150 Watts RMS • Frequency response 53Hz-20kHz • Nominal impedance 8 Ohms • Sensitivity 89dB (1W/1m) • Ultra Stiff non resonating MDF cabinet • Audiophile direct-wired crossover – no PCB! • Leed free solder • Real wood finishes in 3 options • Gold-plated speaker terminal (single-wired) • Real wood veneer for highest aesthetics - Walnut, Eucalyptus • Dimensions: 160x271x215mm HxWxD • Weight 5kg /piece

Speaker Box 10 DS2

High End floor standing speaker made in Europe

Par - PVP € 950

• Bass reflex via rear port • Recommended amplifier power 15 to 150 Watts RMS • Frequency response 45Hz-20kHz • Nominal impedance 4 Ohms • Sensitivity 88dB (1W/1m) • 1” silk dome tweeter, 5” plycone cone bass/mid (2 pcs) • Acoustically transparent front cover with magnetic attachment • Real wood finishes - Walnut, Eucalyptus • High gloss finishes: black and white
• Dimensions: 160x898x195mm WxHxD

Speaker Box 15 DS2

Flagship floor standing speaker handmade in Europe

Par - PVP € 1.050

• Audiophile 2.5-way design • Rear port ass reflex cabinet • Recommended amplifier power 20 to 250 Watts RMS • Frequency response 35Hz-22kHz • Nominal impedance 4 Ohms • Sensitivity 90dB (1W/1m) • 25mm silk-ring Neodynium magnet tweeter, 150mm fiberglass-cone (2 pcs) • Sophisticated internal bracing • Ultra Stiff non resonating MDF cabinet • Audiophile direct-wired crossover – no PCB! • Leed free solder • Gravity mass-popint by sand filled cabinet • Acoustically transparent front cover with magnetic attachment • Real wood veneer for highest aesthetics - Walnut, Eucalyptus
• Dimensions: 160x978x260mm WxHxD

Imacustica
desde 1986

BOX•DESIGN
BY PRO-JECT AUDIO SYSTEMS

DAMP IT - Highend damping feet

4 pcs PVP € 25

• Special absorber feet made from hightech TPE • Prevents transmission of unwanted mechanical vibration • Especially for CD and other disc players, tube amplifiers, speakers & turntables • Single or set of 4

ABSORB IT **4 pcs PVP € 150**

• Special absorber feet made from hightech synthetic material enclosed by metal ring • Prevents transmission of unwanted mechanical vibration • Especially designed for CD players and turntables

Cabos Interligação

Connect it RCA

Comprimento	RCA - C	RCA - CC
0,205 m	PVP € 50	PVP € 70
0,41 m	PVP € 60	PVP € 80
0,82 m	PVP € 70	PVP € 85
1,23 m		PVP € 100

RCA C - Electrically shielded with conductors made of OFC (oxygen free copper)**.**

RCA CC - Electrically shielded with conductors made of OFC (oxygen free copper) and an additional layer of carbon fibre.

Alimentação

Connect it Power

4WAY (10A)	PVP € 110	4WAY (16A)	PVP € 165
6WAY (10A)	PVP € 165		

Audiophile power strip

• Especially for use with audio equipment • No sound degradation through filters or overload protection • Magnetically shielding • Available with 4 or 6 mains outlets (EU) • Maximum continuous current 10 or 16 ampere • High quality inner cabling • Improved resistance against overheating and fire • 1,5m power cord included • Handmade in EC.

Connect it Power Cable

1,0 m (10A)	PVP € 70		
1,5 m (10A)	PVP € 90	1,5 m (16A)	PVP € 170
2,0 m (10A)	PVP € 100	2,0 m (16A)	PVP € 190

Audiophile power cord

• Especially for use with audio equipment • Magnetic shielding • IEC C13 connector • Superior connectivity • 10 or 16 ampere maximum continuous power surge • Perfect in combination with Connect-it Power strips 10A or 16A • Handmade in EC