



## DragonFly Cobalt DAC + Preamp + Headphone Amp

- Plays all music files: MP3 to High-Res and MQA
- Compatible with Apple® and Windows® PCs
- Compatible with iOS devices (requires Apple Lightning to USB 3 Camera Adaptor)
- Compatible with Android devices (requires DragonTail or other USB Adaptor for Android Devices)
- Bit-perfect variable output drives headphones, powered speakers, or power amp
- Fixed output feeds preamp or receiver



	DragonFly Cobalt
Output	2,1 volts
DAC Chip	ESS ES9038Q2M DAC chip with minimum-phase slow roll-off filter for more natural sound
Volume Control	64-Bit Bit-Perfect Digital Volume Control
Desktop Compatibility	Windows 7 and later; Apple 10.6.8 and later; Linux (no tech support provided)
Mobile Compatibility	Apple iOS 5 and later; Android 5,0 and later
Included Adaptor	DragonTail A to C Adaptor
Accessories	Protective Endcap, Leatherette Pouch
Dimensions	57mm (l) x 19mm (w) x 12mm (h)
<b>Euro Retail: 199,95</b>	

## USB Extenders and Adaptors

DragonTail USB Extenders feature 5% Silver Solid Conductors and are Direction-Controlled for reduced RF noise.



**DragonTail USB A 2.0 Extender**  
Female USB A to Male A  
**Euro Retail: 29,95**




**DragonTail USB A to Micro Adaptor**  
Female USB A to Male Micro  
**Euro Retail: 29,95**



**DragonTail A to C Adaptor**  
(included with DragonFly Cobalt)  
**Euro Retail: 29,95**

## JitterBug FMJ USB 2.0 Noise Filter (Data & Power)

- Enables more spacious and compelling sound
- Dual Discrete Noise-Dissipation Circuits reduce all forms of internal noise in both the sending and receiving electronics
- Full Metal Jacket (FMJ) with hinged Carbon-Loaded Noise-Dissipation input cover protects against external noise
- Reduces jitter and packet errors
- Use one JitterBug in series with almost any USB DAC, including DragonFlies Black and Red; experiment with DragonFly Cobalt
- For an additional improvement, use a second JitterBug in parallel—always desirable with DragonFly Cobalt



**Euro Retail: 69,00**

# AC Power Conditioners

## Niagara and PowerQuest:

### Low-Z Power | Noise-Dissipation Systems

Performance begins with power, and the quality of that power plays a significant role in any audio/video system's ability to suspend disbelief — to seduce, thrill, captivate, and transport an audience.

AudioQuest's Niagara and PowerQuest models are distinct among all power products — isolation transformers, AC regenerators, battery back-up devices, re-clocking devices, ground boxes, and others — in their unrivaled ability to work evenly, or *linearly*, across the widest possible range of induced noise frequencies.


Additionally, PowerQuest 707 and Niagaras 3000, 5000, and 7000 feature Transient Power Correction, which supplies a current reservoir to greatly bolster the performance of any power amplifier.



## AC Power Conditioners: Power Bars

All PowerQuest Power Bars share the following features:

- Linear Noise-Dissipation Technology
- Extreme Voltage Shutdown



	PowerQuest 2	PowerQuest 3
<b>Euro Retail</b>	269,00	399,00
<b>Power Cable</b>	Attached PQ-316 / 2m Direction-Controlled	
<b>Non-Sacrificial Surge Protection</b>	Yes	
<b>Outlets</b>	6 total: (4) Source (2) High-Current	8 total: (6) Source (2) High-Current
<b>USB Charging Ports</b>	2x USB-A	4x USB-A
<b>Signal Line Protection</b>	No	Network (10/100)
<b>Maximum RMS Current</b>	10 Amps (RMS) @ 220 - 240V	
<b>Dimensions</b>	393mm L x 80mm W x 153mm H (Includes wall-mounting holes and detachable base)	393mm L x 80mm W x 188mm H (Includes wall-mounting holes and detachable base)
<b>Weight</b>	2,2 kg	2,5 kg

For more information on AudioQuest power products, visit <https://www.audioquest.com/ac-power>  
Download our Power Demystified paper at <https://www.audioquest.com/theory-education>


## AC Power Conditioners: Component Pieces

All PowerQuest Component Pieces share the following features:

- Linear Noise-Dissipation Technology
- Non-Sacrificial Surge Protection
- Extreme Voltage Shutdown

All Niagaras share the following features:

- Linear Noise-Dissipation Technology
- Patented Ground-Noise Dissipation
- Directionally Controlled Wiring & Inductors
- High-Tension AC Inlets and Outlets
- Non-Sacrificial Surge Protection
- Extreme Voltage Shutdown



	PowerQuest 303	PowerQuest 505	PowerQuest 707	Niagara 1200	Niagara 3000	Niagara 5000	Niagara 7000
<b>Euro Retail</b>	599,00	799,00	1.299,00	1.299,00	3.995,00	5.995,00	10.995,00
<b>Power Cable</b>	Detachable PQ-416 / 2m Direction-Controlled	Detachable PQ-716 / 2m Direction-Controlled ZERO-Tech RF/ND-Tech		<b>Not Included</b> A direction-controlled cable is required to maximize the Niagara's performance			
<b>Transient Power Correction</b>	No	45 amps peak (up to 25mS)		No	55 amps peak (up to 25mS)	80 amps peak (up to 25mS)	
<b>DBS Symmetrical Power Isolation Transformer</b>	No			No			Yes
<b>Outlets</b>	7 total: (4) Source (3) High-Current			7 total: (5) Source (2) High-Current		12 total: (8) Source (4) High-Current	
<b>Maximum RMS Current</b>	10 Amps (RMS) @ 220 - 240V			10 Amps (RMS) @ 220 - 240V		16 Amps (RMS) @ 220 - 240V	
<b>Dimensions</b>	43cm W x 8.6 cm H x 34cm D (9cm w/ feet attached); (2RU mount kit included)		43cm W x 8.6cm H x 34cm D (9.4cm w/ feet attached); (2RU mount kit included)	493mm W x 81mm H x 190mm D	445mm W x 88mm H x 386mm D (2-RU rack mount kit included)	445mm W x 133mm H x 437mm D (3-RU rack mount kit on request)	445mm W x 133mm H x 437mm D (3-RU rack mount kit on request)
<b>Weight</b>	4,65 kg	4,9 kg	7,6 kg	8,2 kg	11,3 kg	17,2 kg	39 kg

## AC Power Cables: NRG Series

NRG AC cables available in Installer 5-Packs, page 58.

**C5**  
2,5A Maximum RMS Capacity @ 230VAC 50Hz

**C7**  
2,5A Maximum RMS Capacity @ 230VAC 50Hz



**C13**  
10A Maximum RMS Capacity @ 230VAC 50Hz



NRG-Y2 and NRG-Z2 cables use a 2-pole C7 connector—and yet feature a 3-prong wall plug. The additional ground connection is necessary to enable ZERO-Tech, and to maximize RF-Noise Dissipation.



Model	NRG-X2	NRG-Y2	NRG-Z2	NRG-X3	NRG-Y3	NRG-Z3
<b>Metal</b>	Semi-Solid Concentric LGC		Semi-Solid Concentric PSC+	Semi-Solid Concentric LGC		Semi-Solid Concentric PSC+
<b>Gauge</b>	1,04mm <sup>2</sup> (2,5 Amp @ 220-240V)			1,31mm <sup>2</sup> (C13 Plug: 10 Amp @ 220-240v, C5 Plug: 2,5 amps @ 220-240v)	2,08mm <sup>2</sup> (C13 Plug: 10 Amp @ 220-240v)	2,08mm <sup>2</sup> (10 Amp @ 220-240v)
<b>Technology</b>	-	ZERO Tech (No Characteristic Impedance)		-	ZERO Tech (No Characteristic Impedance)	ZERO Tech (No Characteristic Impedance); Patented RF/ND-Tech
<b>Jacket</b>	Black PVC with Red Stripes	Dark Gray/Black Braid	Dark Red/Black Braid	Black PVC with Red Stripes	Dark Gray/Black Braid	Dark Red/Black Braid
<b>Terminations</b>	Cold-Welded Connectors					
<b>Length</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>
1m	74,95	134,95	209,00	89,95	159,95	259,00
2m	89,95	159,95	269,00	109,95	199,95	359,00
3m	104,95	184,95	329,00	129,95	239,95	459,00
4,5m	129,95	-	-	159,95	-	-
6m	149,95	-	-	189,95	-	-




**C17**  
For components that use the ungrounded C17 connector, please use AQ cables with a C13/C15 connector. The grounded male plug is necessary to make use of our Noise-Dissipation System.

Note: NRG-X3 with C5 connector is available in 1m, 2m & 3m only

Esta tabela anula as anteriores e pode ser alterada sem aviso prévio. IVA incluído à taxa legal em vigor.

## AC Power Cables: Wind Series

Never assume which of these is required for a component or power conditioner. Some manufacturers prefer the performance of one IEC inlet type over another—even when their circuit's current draw is minimal.






Wind Series Plugs



Wind XTRM Plugs Built From Storm-Level Components

XTRM cables have upgraded plugs equivalent in quality to the Storm Series plugs.

Model	Monsoon	Monsoon XTRM	Blizzard 72v DBS	Blizzard XTRM 72v DBS	Silver Cloud 72v DBS	Silver Cloud XTRM 72v DBS
Plug Type	Direct-Gold Plated Molded	Hanging-Silver over Red and Beryllium Coppers	Direct-Gold Plated Molded	Hanging-Silver over Red and Beryllium Coppers	Direct-Gold Plated Molded	Hanging-Silver over Red and Beryllium Coppers
Metal	Semi-Solid True-Concentric Perfect-Surface Copper+ (PSC+) and Long-Grain Copper (LGC)		Semi-Solid True-Concentric Perfect-Surface Copper+ (PSC+)		Semi-Solid True-Concentric Perfect-Surface Silver (PSS) and Perfect-Surface Copper+ (PSC+)	
Gauge	3,31mm <sup>2</sup>					
Technology	ZERO-Tech (No Characteristic Impedance) for Uncompressed Current Transfer; RF/ND-Tech					
Jacket	Dark Blue/Black Braid 		Silver/Black Braid 		Black/Black Braid 	
Terminations	Direct-Gold and Silver Plated; Cold-Welded Connectors					
Length	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail
1m	459,00	809,00	769,00	1.119,00	2.149,00	2.499,00
2m	619,00	969,00	989,00	1.339,00	3.749,00	4.099,00
3m	779,00	1.129,00	1.209,00	1.559,00	5.349,00	5.699,00
Other prepared lengths use formula:	-	160,00/m + 649,00	-	220,00/m + 899,00	-	1.600,00/m + 899,00

### Mistral AC Power Bulk Cable

**Metal:** Semi-Solid True-Concentric Perfect-Surface Copper+ (PSC+) and Long-Grain Copper (LGC)

**Gauge:** 3,31mm<sup>2</sup>

**Technology:** RF/ND-Tech

**Jacket:** Dark Gray/Light Gray PVC

**Terminations:** Mistral AC Power Plugs

**50m Spool**

**Retail: 130,00/m**



### Mistral AC Power Plugs

Sold separately.



**Mistral Wall Plug**  
Retail: 149,00



**Mistral IEC C-13 Plug**  
Retail: 149,00



**Mistral IEC C-19 Plug**  
Retail: 149,00

## AC Power Cables: Storm Series

Never assume which of these is required for a component or power conditioner. Some manufacturers prefer the performance of one IEC inlet type over another—even when their circuit's current draw is minimal.

**C13 or C15**  
10 Amp Maximum RMS Capacity @ 230VAC 50Hz













**C19**  
16 Maximum RMS Capacity @ 230VAC 50Hz







Plugs for Storm Series

**High (Variable) Current AC Power Cables** - Optimized for use with AC power conditioners/regenerators, power amplifiers, and any components that contain a built-in power amplifier, including AV receivers, powered speakers, and powered subwoofers.

Model	 <b>Thunder</b> ● 72v DBS	 <b>Tornado</b> ● 72v DBS	 <b>Hurricane</b> ● 72v DBS	 <b>FireBird</b> ● 72v DBS	 <b>Dragon</b> ● 72v DBS
<b>Conductor Metal</b>	Solid Perfect-Surface Copper+ (PSC+) plus Long-Grain Copper (LGC)	Solid Perfect-Surface Copper+ (PSC+)		Solid Perfect-Surface Silver (PSS) plus Solid Perfect-Surface Copper+ (PSC+)	Solid Perfect-Surface Silver (PSS)
<b>RF Drain Metal</b>	Solid 6% Silver			Solid Perfect-Surface Silver (PSS)	
<b>Technology</b>	ZERO-Tech (No Characteristic Impedance) for Uncompressed Current Transfer; RF/ND-Tech				
<b>Jacket</b>	Brown/Black Braid 	Silver/Black Braid 	Dark Blue/Black Braid 	Dark Red/Black Braid 	Black/Black Braid 
<b>Termination and Gauge</b>	Hanging-Silver over Red and Beryllium Copper - 4,17mm <sup>2</sup> Line and Neutral - 3,31mm <sup>2</sup> Ground				
<b>Length</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>
1m	1.099,00	1.499,00	1.999,00	3.699,00	5.899,00
2m	1.349,00	1.899,00	2.899,00	6.299,00	10.699,00
3m	1.599,00	2.299,00	3.799,00	8.999,00	15.499,00
<b>Other prepared lengths use formula:</b>	250,00/m + 849,00	400,00/m + 1.099,00	900,00/m + 1.099,00	2.600,00/m + 1.099,00	4.800,00/m + 1.099,00


**Constant-Current (Source) AC Power Cables** - Optimized for use with audio/video source components, which have a constant or "fixed" current draw.

Model	-	 <b>Tornado</b> ● 72v DBS	 <b>Hurricane</b> ● 72v DBS	 <b>FireBird</b> ● 72v DBS	 <b>Dragon</b> ● 72v DBS
<b>Conductor Metal</b>	-	Solid Perfect-Surface Copper+ (PSC+)		Solid Perfect-Surface Silver (PSS)	
<b>RF Drain Metal</b>	-	Solid 6% Silver		Solid Perfect-Surface Silver (PSS)	
<b>Termination and Gauge</b>	-	Hanging-Silver over Red and Beryllium Copper - 1,31mm <sup>2</sup> Line, Neutral and Ground			
<b>Length</b>	-	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>
1m	-	1.199,00	1.539,00	3.099,00	4.699,00
2m	-	1.399,00	2.079,00	5.199,00	8.399,00
3m	-	1.599,00	2.619,00	7.299,00	12.099,00
<b>Other prepared lengths use formula:</b>	-	200,00/m + 999,00	540,00/m + 999,00	2.100,00/m + 999,00	3.700,00/m + 999,00

## AC Power Accessories



**IEC90°/1**  
Adaptor Bends in  
Direction of 1 Center  
**Retail: 22,95**



**IEC90°/2**  
Adaptor Bends in  
Direction of 2 Outer Pins  
**Retail: 22,95**

### Female to Male IEC C-13 Adaptors

Premium Single-Piece  
Metal Conductors from  
Input to All Outputs  
Preserve Advantages  
of Superior AudioQuest  
NRG Series AC Cables.



### C7 90° Adaptor Kit

- Provides 90° bends for C7 power connections
  - Also connects for double bends
  - Non-polarized for maximum flexibility
- Package contains:
- 1 x "E" adaptor
  - 1 x "U" adaptor

**Retail: 45,90**

**C7 90° Adaptors also available in  
Installer 5-Packs, page 60.**





### Fog Lifters

Reduce the RF noise that capacitively couples into cables through all solid materials (carpet, stone, wood, etc.)



**Set of 8**  
**Retail: 159,00**

## Speaker Cable Applications



audioquest.

## Mythical Creature & Folk Hero Termination Options: Bananas or Spades?

### Amplifier-End Connector:


Choice of 1000 Series Multi-Spade, Banana, U-Spade, or V-Spade (Silver only)




Insulated (compliant) binding posts may not allow for 2 sets of connectors.

Often, the choice between terminating speaker cables with spade lugs or banana plugs will come down to personal preference. However, today's EU-compliant isolated binding posts are being used on more power amplifiers than ever before. This sometimes makes it difficult, if not impossible, to use a banana connector. Further, given the girth and weight of our Mythical Creature Series speaker cables, a spade may be better capable of fully supporting the cable. This is particularly a concern with binding posts that do not allow a banana connector to fully seat into the post.


Further, the EU-compliant posts will neither accept our V-Spade nor allow our Multi-Spade to be fully seated. For these applications (or when you're not certain), **we highly recommend the U-Spade**, as it can accommodate any binding post. The V-Spade is a specialty spade connector that works well with large wingnut binding posts (such as the Mundorf), as it allows extra clearance.




Banana Dimensions (mm)



Multi-Spade Dimensions (mm)



U-Spade Dimensions (mm)



V-Spade Dimensions (mm)

### Speaker-End Connector:

Choice of 1000-Series Spade or Banana (Silver only)

Here we typically recommend the U-Spade or banana connector. However, even though there is less weight and pressure on this side of the cable (particularly for BiWire sets), it is nevertheless important to note the binding post's design. If a banana connector cannot seat all the way into the binding post, we recommend one of our spade connectors.

## How to Order Prepared Speaker Cables

First please specify type of connector (banana or appropriate spade), then the finish of connector (silver\*).



(\*or gold where applicable)

Pair prices shown. Also available in singles (i.e. for center channel, subwoofer, or mono) at half pair price.

When ordering any factory-terminated speaker cable, please include the required elements shown in the examples below:

Qty.	Pair or Single	Length	Model	FR/BWC/SBW	Amplifier Termination	Speaker Termination	Silver or Gold
1	Pair	3m	Rocket 88	FR	Spade	Banana	Silver
1	Single	2m	William Tell	COMBO	U-Spade	Banana	N/A
1	Single	3m	Rocket 44	SBW	Spade	Banana	Gold

## Speaker Cables: Q2 and Type Series (5, 9, Type 9+DBS)




Model	Q2	Type 5	Type 9	Type 9+DBS ● 72v DBS
<b>Metal</b>	Concentric Long-Grain Copper (LGC)	Solid PSC+ Sonic-Signature Conductors and Long-Grain Copper (LGC)	Solid Perfect-Surface Copper+ (PSC+)	
<b>Gauge</b>	1,65mm <sup>2</sup>	1,65mm <sup>2</sup>	1,65mm <sup>2</sup>	1,65mm <sup>2</sup>
<b>Geometry</b>	Low-Inductance Twisted-Pair		Star-Quad	
<b>Noise-Dissipation</b>	No	Carbon-Based Noise-Dissipation	Multi-Layer Carbon-Based Noise-Dissipation	
<b>Jacket</b>	<b>Prepared:</b> Black PVC <b>Bulk:</b> White or Black PVC	<b>Prepared:</b> Brown/Black Braid <b>Bulk:</b> Red Striped PVC	Red/Black Braid	
<b>Plugs</b>	<b>Prepared:</b> SureGrip 100 (Silver) Banana <b>Bulk:</b> SureGrip 100 (Silver or Gold) Banana	SureGrip 300 (Silver or Gold) Choice of Multi-Spade or Banana	500 Series (Silver or Gold) Choice of Multi-Spade or Banana	1000 Series (Silver) Choice of Multi-Spade or Banana
<b>Prepared Lengths</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>
2m Pair	-	569,00	789,00	1.239,00
2,5m Pair	-	599,00	849,00	1.299,00
3m Pair	329,00	629,00	909,00	1.359,00
4m Pair	-	689,00	1.029,00	1.479,00
<b>Other prepared lengths use formula (per pair)</b>	-	60,00/m + 449,00	120,00/m + 549,00	120,00/m + 999,00
<b>Bulk Cables (on spools)</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>
50m	-	-	-	-
100m	16,50/m	30,00/m	-	-

2024 Maio

## Speaker Cables: Rocket Series

Please Specify Termination



Imacustica  
desde 1988

audioquest.

Model	Rocket 11	Rocket 22	Rocket 33	Rocket 44	Rocket 88 72v DBS
Application Options	Full-Range and Single-BiWire		Full-Range, Single-BiWire, REL and Optimized for Naim		
Metal	Semi-Solid Concentric Long-Grain Copper (LGC)	Semi-Solid Concentric PSC and LGC	Solid PSC and LGC	Solid PSC+ and PSC	Solid PSC+
Gauge	2,08mm <sup>2</sup>	3,31mm <sup>2</sup>	2,08mm <sup>2</sup>	2,63mm <sup>2</sup>	
Geometry	Double Spiral-Pair		Double Star-Quad		
Dielectric	PVC		Foamed-Polyethylene (For All Positive Conductors)		
Noise-Dissipation	No		Carbon-Based Noise-Dissipation		
Jacket	Black or White PVC with Grey stripes	Black or White PVC with Blue stripes	Red/Black Braid or PVC	Silver/Black Braid or PVC	Green/Black Braid or PVC
Plugs	SureGrip 300 (Silver or Gold) Choice of Multi-Spade or Banana		SureGrip 300 (Silver or Gold) Choice of Multi-Spade or Banana	500 Series (Silver or Gold) Choice of Multi-Spade or Banana	
Prepared Lengths	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>
2m Pair	379,00	499,00	629,00	799,00	1.219,00
2,5m Pair	399,00	549,00	699,00	899,00	1.349,00
3m Pair	419,00	599,00	769,00	999,00	1.479,00
4m Pair	459,00	699,00	909,00	1.199,00	1.739,00
Other prepared lengths use formula (per pair)	40,00/m + 299,00	100,00/m + 299,00	140,00/m + 349,00	200,00/m + 399,00	260,00/m + 699,00
Bulk Cables (on spools)	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>
50m	20,00/m	50,00/m	70,00/m	100,00/m	130,00/m
100m	20,00/m	50,00/m	70,00/m	-	-


Esta tabela anula as anteriores e pode ser alterada sem aviso prévio. IVA incluído à taxa legal em vigor.

2024 Maio

## Speaker Cables: Robin Hood (Folk Heroes)

Imacustica  
desde 1988

audioquest.



Model	Robin Hood ZERO ● 72v DBS	Robin Hood BASS ● 72v DBS	Robin Hood ZERO BiWire COMBO (ZERO + BASS) ● 72v DBS	Robin Hood SILVER ● 72v DBS	Robin Hood SILVER BiWire COMBO (SILVER + BASS) ● 72v DBS
Metal	Solid Perfect-Surface Copper+ (PSC+)		Refer to Specs for ZERO and BASS	Solid PSS Sonic-Signature Conductors and PSC+	Refer to Specs for SILVER and BASS
Gauge	1,65mm <sup>2</sup>			1,65mm <sup>2</sup>	
Geometry	ZERO-Tech (No Characteristic Impedance)			ZERO-Tech (No Characteristic Impedance)	
Noise-Dissipation	Multi-Layer Carbon-Based Noise-Dissipation	RF/ND-Tech		Multi-Layer Carbon-Based Noise-Dissipation	
Jacket	Dark Green/Black Braid	Black Braid		Light Gray/Black Braid	
Application Options	Full-Range, or BiWire COMBO (when combined with BASS cable)	BiWire COMBO (when combined with ZERO cable)		Full-Range, or combined with BASS to form a BiWire COMBO	
Plug Options (1000 Series, Silver)	AMP-Side: Choice of U-Spade (recommended default), Banana, Multi-Spade, or V-Spade / SPEAKER-Side: Choice of U-Spade (recommended default), Banana, or Multi-Spade				
Prepared Lengths	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail
2m Pair	1.899,00	1.899,00	3.799,00	6.399,00	8.299,00
2,5m Pair	2.099,00	2.099,00	4.199,00	7.699,00	9.799,00
3m Pair	2.299,00	2.299,00	4.599,00	8.999,00	11.299,00
4m Pair	2.699,00	2.699,00	5.399,00	11.599,00	14.299,00
Other prepared lengths use formula (per pair)	400,00/m + 1.099,00	400,00/m + 1.099,00	800,00/m + 2.199,00	2.600,00/m + 1.199,00	3.000,00/m + 2.299,00

Esta tabela anula as anteriores e pode ser alterada sem aviso prévio. IVA incluído à taxa legal em vigor.

## Speaker Cables: William Tell (Folk Heroes)



Model	William Tell ZERO ● 72v DBS	William Tell BASS ● 72v DBS	William Tell ZERO BiWire COMBO (ZERO + BASS) ● 72v DBS	William Tell SILVER ● 72v DBS	William Tell SILVER BiWire COMBO (SILVER + BASS) ● 72v DBS
Metal	Solid Perfect-Surface Copper+ (PSC+)	Solid PSC+ Sonic-Signature Conductors and LGC	Refer to Specs for ZERO and BASS	Solid PSS Sonic-Signature Conductors and PSC+	Refer to Specs for SILVER and BASS
Gauge	2,62mm <sup>2</sup>			2,62mm <sup>2</sup>	
Geometry	ZERO-Tech (No Characteristic Impedance)			ZERO-Tech (No Characteristic Impedance)	
Noise-Dissipation	Multi-Layer Carbon-Based Noise-Dissipation	RF/ND-Tech		Multi-Layer Carbon-Based Noise-Dissipation	
Jacket	Dark Red/Black Braid	Black Braid		Silver/Black Braid	
Application Options	Full-Range, or BiWire COMBO (when combined with BASS cable)	BiWire COMBO (when combined with ZERO cable)	Full-Range, or BiWire COMBO (when combined with BASS cable)		
Plug Options (1000 Series, Silver)	AMP-Side: Choice of U-Spade (recommended default), Banana, Multi-Spade, or V-Spade / SPEAKER-Side: Choice of U-Spade (recommended default), Banana, or Multi-Spade				
Prepared Lengths	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail
2m Pair	3.099,00	2.699,00	5.799,00	8.199,00	10.899,00
2,5m Pair	3.499,00	2.999,00	6.499,00	9.849,00	12.849,00
3m Pair	3.899,00	3.299,00	7.199,00	11.499,00	14.799,00
4m Pair	4.699,00	3.899,00	8.599,00	14.799,00	18.699,00
Other prepared lengths use formula (per pair)	800,00/m + 1.499,00	600,00/m + 1.499,00	1.400,00/m + 2.999,00	3.300,00/m + 1.599,00	3.900,00/m + 3.099,00

## Speaker Cables: ThunderBird (Mythical Creatures)



Model	ThunderBird ZERO ● 72v DBS	ThunderBird BASS ● 72v DBS	ThunderBird ZERO BiWire COMBO (ZERO + BASS) ● 72v DBS
<b>Metal</b>	Solid Perfect-Surface Copper+ (PSC+)	Solid PSC+ Sonic-Signature Conductors and LGC	Refer to Specs for ZERO and BASS
<b>Gauge</b>	5,26mm <sup>2</sup>		
<b>Geometry</b>	ZERO-Tech (No Characteristic Impedance)		
<b>Noise-Dissipation</b>	Multi-Layer Carbon-Based Noise-Dissipation	RF/ND-Tech	
<b>Jacket</b>	Blue/Black Braid		
<b>Application Options</b>	Full-Range, or BiWire COMBO (when combined with BASS cable)	BiWire COMBO (when combined with ZERO cable)	
<b>Plug Options</b> (1000 Series, Silver)	<b>AMP-Side:</b> Choice of U-Spade (recommended default), Banana, Multi-Spade, or V-Spade / <b>SPEAKER-Side:</b> Choice of U-Spade (recommended default), Banana, or Multi-Spade		
<b>Prepared Lengths</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>
<b>2m Pair</b>	5.300,00	4.300,00	9.600,00
<b>2,5m Pair</b>	6.050,00	4.800,00	10.850,00
<b>3m Pair</b>	6.800,00	5.300,00	12.100,00
<b>4m Pair</b>	8.300,00	6.300,00	14.600,00
<b>Other prepared lengths use formula (per pair)</b>	1.500,00/m + 2.300,00	1.000,00/m + 2.300,00	2.500,00/m + 4.600,00

2024 Maio

## Speaker Cables: FireBird (Mythical Creatures)



Imacustica  
desde 1988

audioquest.

Model	FireBird ZERO ● 72v DBS	FireBird BASS ● 72v DBS	FireBird BiWire COMBO (ZERO + BASS) ● 72v DBS
Metal	Solid Perfect-Surface Silver (PSS) Sonic-Signature Conductors and Perfect-Surface Copper+ (PSC+)		
Gauge	10 AWG		
Geometry	ZERO-Tech (No Characteristic Impedance)		
Noise-Dissipation	Multi-Layer Carbon-Based Noise-Dissipation	RF/ND-Tech	Refer to Specs for ZERO and BASS
Jacket	Dark Red/Black Braid		
Application Options	Full-Range, or BiWire COMBO (when combined with BASS cable)	BiWire COMBO (when combined with ZERO cable)	
Plug Options (1000 Series, Silver)	AMP-Side: Choice of U-Spade (recommended default), Banana, Multi-Spade, or V-Spade / SPEAKER-Side: Choice of U-Spade (recommended default), Banana, or Multi-Spade		
Prepared Lengths	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>
2m Pair	15.500,00	11.500,00	27.000,00
2,5m Pair	18.800,00	13.800,00	32.600,00
3m Pair	22.100,00	16.100,00	38.200,00
4m Pair	28.700,00	20.700,00	49.400,00
Other prepared lengths use formula (per pair)	6.600,00/m + 2.300,00	4.600,00/m + 2.300,00	11.200,00/m + 4.600,00

Esta tabela anula as anteriores e pode ser alterada sem aviso prévio. IVA incluído à taxa legal em vigor.

2024 Maio

## Speaker Cables: Dragon (Mythical Creatures)

ZERO Inside View



BASS Inside View



Model	Dragon ZERO ● 72v DBS	Dragon BASS ● 72v DBS	Dragon BiWire COMBO (ZERO + BASS) ● 72v DBS
Metal	Solid Perfect-Surface Silver (PSS) Sonic-Signature Conductors and Perfect-Surface Copper+ (PSC+)		
Gauge	10 AWG		
Geometry	ZERO-Tech (No Characteristic Impedance)		
Noise-Dissipation	Multi-Layer Carbon-Based Noise-Dissipation	RF/ND-Tech	Refer to Specs for ZERO and BASS
Jacket	Black Braid		
Application Options	Full-Range, or BiWire COMBO (when combined with BASS cable)	BiWire COMBO (when combined with ZERO cable)	
Plug Options (1000 Series, Silver)	AMP-Side: Choice of U-Spade (recommended default), Banana, Multi-Spade, or V-Spade / SPEAKER-Side: Choice of U-Spade (recommended default), Banana, or Multi-Spade		
Prepared Lengths	Euro Retail	Euro Retail	Euro Retail
2m Pair	28.700,00	22.100,00	50.800,00
2,5m Pair	35.300,00	27.050,00	62.350,00
3m Pair	41.900,00	32.000,00	73.900,00
4m Pair	55.100,00	41.900,00	97.000,00
Other prepared lengths use formula (per pair)	13.200,00/m + 2.300,00	9.900,00/m + 2.300,00	23.100,00/m + 4.600,00

Imacustica  
desde 1988


audioquest.

2024 Maio

## Speaker Cable Accessories

### Bare Naked BiWire Jumpers

Solid PSC+ conductors offer dramatically superior performance to stamped jumpers.



Set of 4 (8.9 cm each)  
Retail: 49,95

### ThunderBird and Dragon BiWire Jumpers

Direction-Controlled Solid Perfect-Surface Copper+ (PSC+) Perfect-Surface Silver (PSS) and Carbon-Loaded Insulation. Available in Spade-Spade, Spade-Banana, Banana-Spade, and Banana-Banana.



**ThunderBird (PSC+)** uses Hanging-Silver 500 Series Bananas or Spades.

Set of 4 (20 cm each)  
Retail: 349,00



**Dragon (PSS)** uses Hanging-Silver 1000 Series Bananas or Spades.

Set of 4 (20cm each)  
Retail: 749,00

### Fog Lifters

Reduces the RF noise that capacitively couples into cables through all solid materials (carpet, stone, wood, etc.)



Set of 8  
Retail: 159,00

### Binding-Post Wrench

Real tool-quality double-ended nut driver with metal inserts. Fits 11,1 mm and 12,7mm binding posts.




Retail: 19,95

### Using BiWire Jumpers with Full-Range Cables on BiWire Capable Speakers


#### 3-Way or Panel-Hybrid Speaker

Please connect amp. directly to the critical midrange and tweeter Treble input, and then jumper down to the Bass input.



#### 2-Way Speaker























To maintain the speaker design's delicate midrange/tweeter relationship, please connect signal to Treble (+) and Bass (-).



## Audio Interconnect Cables: Bridges & Falls

Tower and Golden Gate also available in Installer 5-Packs, page 60.



3,5mm Male Mini							
2-Male RCA							
3,5mm Female Mini							
5 Pin DIN							
Model	Tower	Evergreen	Golden Gate	Big Sur	Sydney	Yosemite ● 72v DBS	Angel ● 72v DBS
<b>Metal</b>	Solid Long-Grain Copper (LGC)		Solid Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper+ (PSC+)			Solid Perfect-Surface Silver (PSS)
<b>Geometry</b>	Asymmetrical Double-Balanced (Lower Impedance on Ground, Same Quality + and - Conductors)						
<b>Dielectric</b>	Foamed-Polyethylene				Polyethylene Air-Tubes	FEP Air-Tubes	
<b>Noise-Dissipation</b>	Metal-Layer Noise-Dissipation					Carbon-Based Noise-Dissipation	
<b>Jacket</b>	Black with White Stripes PVC	Green/Black Braid	Red/Black Braid	Brown/Black Braid	Dark Gray/Black Braid	Green/Black Braid	Silver/Black Braid
<b>Termination</b>	Cold-Welded, Gold-Plated			Cold-Welded, Gold-Plated Pure Purple Copper	Cold-Welded, Direct-Silver Plated Pure Purple Copper	Cold-Welded, Direct-Silver Plated Pure Red Copper	
Application							
3,5mm Male Mini - 2-Male RCA				Yes			
2-Male RCA - 2-Male RCA				Yes			
3,5mm Male Mini - 3,5mm Male Mini				Yes			
3,5mm Male Mini - 3,5mm Female Mini	3m and 5m Only	No	2m and 5m Only	No	No	Yes	
3,5mm Male Mini - 5 Pin DIN						Yes	
5 Pin DIN - 5 Pin DIN						Yes	
5 Pin DIN - 2-Male RCA						Yes	
Length	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail
0,6m	45,95	79,00	119,00	159,00	249,00	469,00	999,00
1m	49,95	89,00	129,00	169,00	279,00	519,00	1.199,00
1,5m	54,95	99,00	139,00	185,00	319,00	579,00	1.449,00
2m	59,95	109,00	149,00	199,00	359,00	639,00	1.699,00
3m	69,95	119,00	169,00	229,00	439,00	759,00	2.199,00
5m	89,95	149,00	219,00	289,00	599,00	999,00	3.199,00
8m	119,95	209,00	279,00	379,00	839,00	1.359,00	4.699,00
12m	159,95	279,00	369,00	499,00	1.159,00	1.839,00	6.699,00
16m	199,95	349,00	459,00	619,00	1.479,00	2.319,00	8.699,00
20m	239,95	419,00	549,00	739,00	1.799,00	2.799,00	10.699,00
Other prepared lengths use formula:	-	-	-	-	-	120,00/m + 399,00	500,00/m + 699,00

## Audio Interconnect Cables: Rivers & Mythical Horses

In order to preserve ZERO-Tech's complete isolation between signal conductors, a Double-DBS pack is included for Pegasus XLR cables.



Model	Chicago	Red River		Mackenzie		Yukon		Black Beauty*		Pegasus*		
		RCA	XLR	RCA	XLR	RCA	XLR	RCA	XLR	RCA ● 72v DBS	XLR ● 72v DBS	
<b>Metal</b>	Solid Long-Grain Copper (LGC)	Solid Perfect-Surface Copper (PSC)		Solid Perfect-Surface Copper+ (PSC+)								
<b>Technology</b>	N/A							ZERO-Tech (No Characteristic Impedance)				
<b>Ground Reference</b>	All Cables Have Separate Ground-Reference Conductors Plus One Signal Conductor for RCA and Two for XLR											
<b>Dielectric</b>	Hard-Cell Foamed Polyethylene					Polyethylene Air-Tubes		Hard-Cell Foamed Polyethylene		Polypropylene Air-Tubes		
<b>Noise-Dissipation</b>	Metal-Layer			Carbon Mesh-Network				ZERO-Tech + Graphene/Carbon		72v DBS + ZERO-Tech Graphene/Carbon		
<b>Jacket</b>	Green/Black Braid	Red/Black Braid		Brown/Black Braid		Black/Dark Gray Braid		Black/Black Braid		Brown/Black Braid		
<b>Plug Barrels</b>	N/A											
<b>Cold-Welded Plugs</b>	Gold-Plated			Hanging-Silver over Purple Copper				Copper-Plated RF-Draining				
<b>Length (Pair)</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	
0,5m	129,00	219,00	279,00	329,00	399,00	469,00	549,00	-	-	-	-	
0,6m	-	-	-	-	-	-	-	779,00	949,00	1.539,00	1.859,00	
0,75m	134,00	229,00	289,00	344,00	414,00	504,00	594,00	-	-	-	-	
1m	139,00	239,00	299,00	359,00	429,00	539,00	639,00	869,00	1.089,00	1.699,00	2.099,00	
1,5m	149,00	259,00	319,00	389,00	459,00	609,00	729,00	979,00	1.259,00	1.899,00	2.399,00	
2m	159,00	279,00	339,00	419,00	489,00	679,00	819,00	1.089,00	1.429,00	2.099,00	2.699,00	
3m	179,00	319,00	379,00	479,00	549,00	819,00	999,00	1.309,00	1.769,00	2.499,00	3.299,00	
4m	199,00	359,00	419,00	539,00	609,00	959,00	1.179,00	1.529,00	2.109,00	2.899,00	3.899,00	
5m	219,00	399,00	459,00	599,00	669,00	1.099,00	1.359,00	1.749,00	2.449,00	3.299,00	4.499,00	
6m	239,00	439,00	499,00	659,00	729,00	1.239,00	1.539,00	1.969,00	2.789,00	3.699,00	5.099,00	
For longer lengths, please use formula:	20,00/pair m + 119,00/pair	40,00/pair m + 199,00/pair	40,00/pair m + 259,00/pair	60,00/pair m + 299,00/pair	60,00/pair m + 369,00/pair	140,00/pair m + 399,00/pair	180,00/pair m + 459,00/pair	220,00/pair m + 649,00/pair	340,00/pair m + 749,00/pair	400,00/pair m + 1.299,00/pair	600,00/pair m + 1.499,00/pair	


Bulk Cables	Chicago	Red River	Mackenzie
Euro Retail per metre	10,00 (100m spool)	20,00 (100m spool)	30,00m (50m Spool)

Bulk Chicago, Red River, and Mackenzie cables available braided or CL3/FT4 PVC. See page 58.

\*ZERO-Tech Cables do not work as turntable cables with moving coil cartridges.

## Audio Interconnect Cables: Mythical Creatures

In order to preserve ZERO-Tech's complete isolation between signal conductors, a Double-DBS pack is included for XLR cables.



Model	ThunderBird*		FireBird*		Dragon*	
	RCA 72v DBS	XLR Double 72v DBS	RCA 72v DBS	XLR Double 72v DBS	RCA 72v DBS	XLR Double 72v DBS
<b>Metal</b>	Solid Perfect-Surface Copper+ (PSC+)		Solid Perfect-Surface Silver (PSS)			
<b>Technology</b>	ZERO-Tech (No Characterstic Impedance), ZERO-Tech Cables do not work as turntable cables with moving coil cartridges					
<b>Dielectric</b>	FEP Air-Tubes					
<b>Noise-Dissipation</b>	ZERO-Tech + 72v DBS + Graphene/Carbon Mesh-Network				PSS Drains + ZERO-Tech + 72v DBS + Graphene/Carbon	
<b>Jacket</b>	Blue/Black Braid		Red/Black Braid		Black/Black Braid	
<b>Plug Barrels</b>	Copper-Plated RF-Draining		Silver-Plated RF-Draining			
<b>Plug Contacts</b>	Hanging-Silver over Red-Copper					
<b>Length (Pair)</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>
0,5m	2.549,00	3.399,00	4.849,00	5.999,00	7.999,00	9.749,00
0,75m	2.874,00	3.849,00	5.674,00	7.099,00	9.249,00	11.374,00
1m	3.199,00	4.299,00	6.499,00	8.199,00	10.499,00	12.999,00
1,5m	3.849,00	5.199,00	8.149,00	10.399,00	12.999,00	16.249,00
2m	4.499,00	6.099,00	9.799,00	12.599,00	15.499,00	19.499,00
2,5m	5.149,00	6.999,00	11.449,00	14.799,00	17.999,00	22.749,00
3m	5.799,00	7.899,00	13.099,00	16.999,00	20.499,00	25.999,00
4m	7.099,00	9.699,00	16.399,00	21.399,00	25.499,00	32.499,00
5m	8.399,00	11.499,00	19.699,00	25.799,00	30.499,00	38.999,00
6m	9.699,00	13.299,00	22.999,00	30.199,00	35.499,00	45.499,00
<b>Other prepared lengths, use formula:</b>	<b>1.300,00/pair m + 1.899,00/pair</b>	<b>1.800,00/pair m + 2.499,00/pair</b>	<b>3.300,00/pair m + 3.199,00/pair</b>	<b>4.400,00/pair m + 3.799,00/pair</b>	<b>5.000,00/pair m + 5.499,00/pair</b>	<b>6.500,00/pair m + 6.499,00/pair</b>

\*ZERO-Tech Cables do not work as turntable cables with moving coil cartridges.

2024 Maio

## Audio Interconnect Accessories

Imacustica  
desde 1986



### FLX-Mini Splitter

3,5mm Mini Male Stereo >  
(2) 3,5mm Female Stereo

**Metal:** Solid Perfect-Surface  
Copper+ (PSC+)

**Length:** 15cm

**Euro Retail:** 29,95



### FLX-Mini/RCA Adaptor

3,5mm Mini Male Stereo <>  
2 Female RCA (L & R)

**Metal:** Solid Perfect-Surface  
Copper+ (PSC+)

**Length:** 15cm

**Euro Retail:** 29,95



### Hard Mini/RCA Adaptor

Hard Mini 3,5mm Male <>  
2 Female RCA (L & R)

**Euro Retail:** 19,95



### FLX-X RCA Splitter

RCA Male >  
2 Female RCA (L & R)

**Metal:** Solid Long-Grain  
Copper (LGC)

**Length:** 15cm

**Euro Retail:** 26,95



### FLX-X RCA Splitter

RCA Female >  
2 Male (L & R)

**Metal:** Solid Long-Grain  
Copper (LGC)

**Length:** 15cm

**Euro Retail:** 26,95



### M21F-90 Adaptor

Female RCA to Right Angle  
Male RCA

**Euro Retail:** 12,95



### Hard RCA Splitter

Male RCA > 2 Female RCA

**Euro Retail:** 24,95



### RCA - RCA Coupler

Female RCA <> Female RCA

**Euro Retail:** 13,95



### PreAmp Jumpers

Solid Perfect-Surface Copper+ (PSC+) conductors in Polyethylene Air-Tubes. Replaces factory fitted "U" jumpers on integrated amps and receivers.

**Euro Retail:** 54,95

# Subwoofer Cables



Model	Black Lab	Greyhound	Irish Red	Boxer	Husky	
					RCA ● 72v DBS	XLR ● 72v DBS
<b>Metal</b>	Solid Long-Grain Copper (LGC)	0,5% Silver	Solid 0,5% Silver	Solid 1,25% Silver	Solid 5% Silver	
<b>Geometry</b>	Symmetrical Coax	HyperLitz Coax	Symmetrical Coax	Double-Balanced	Triple-Balanced	
<b>Dielectric</b>	Foamed-Polyethylene			Polyethylene Air-Tubes		
<b>Noise-Dissipation</b>	Metal-Layer Noise-Dissipation			Carbon-Based Noise-Dissipation	Carbon-Based Multi-Layer Noise-Dissipation	
<b>Jacket</b>	Black with White Stripes CL3/ FT4 Rated PVC	Light Gray-Striped White CL3/FT4 Rated PVC	Up to 5m: Red/Black Braid 8m and Longer CL3/FT4 Rated: Black PVC with Red Stripes	Up to 5m: Brown/Black Braid 8m and Longer CL3/FT4 Rated: Black PVC with Brown Stripes	Blue/Black Braid or CL3/FT4 Rated Black PVC with Blue Stripes (Any Length)	
<b>Termination</b>	Cold-Welded, Gold-Plated			Cold-Welded, Hanging-Silver directly over pure Red Copper		
<b>Application - Attached Chassis-Ground Connector</b>						
<b>RCA - RCA</b>	Yes					
<b>RCA/XLR Mixed</b>	No			Yes		
<b>Meters</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>
2m	56,95	74,95	103,00	209,00	459,00	499,00
3m	65,95	84,95	115,00	239,00	539,00	579,00
5m	83,95	104,95	139,00	299,00	699,00	739,00
8m	110,95	134,95	175,00	389,00	939,00	979,00
12m	146,95	174,95	223,00	509,00	1.259,00	1.299,00
16m	182,95	214,95	271,00	629,00	1.579,00	1.619,00
20m	218,95	254,95	319,00	749,00	1.899,00	1.939,00
<b>Other prepared lengths use formula:</b>	-	-	-	-	80,00/m + 299,00	80,00/m + 339,00

Note: Greyhound is optimized for custom-installation projects that require its thin, discreet design. It does not include a chassis-ground connector.

Esta tabela anula as anteriores e pode ser alterada sem aviso prévio. IVA incluído à taxa legal em vigor.

### Tonearm Cables



Model	Golden Gate	Yosemite ● 72v DBS	Angel ● 72v DBS	WEL Signature Limited Edition ● 72v DBS
<b>Metal</b>	Solid Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper+ (PSC+)	Solid Perfect-Surface Silver (PSS)	
<b>Dielectric</b>	Foamed-Polyethylene	FEP Air-Tubes		
<b>Noise-Dissipation</b>	N/A	Carbon-Based Noise-Dissipation		Carbon-Based Multi-Layer Noise-Dissipation
<b>Capacitance</b>	Less than 90pF/1,5M			
<b>Jacket</b>	Red/Black Braid	Green/Black Braid	Silver/Black Braid	Gray/Black Braid
<b>Length</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>
1,2m	-	549,00	1.299,00	2.499,00
1,5m	159,00			
<b>Other prepared lengths use formula:</b>	-	120,00/m + 405,00	500,00/m + 699,00	750,00/m + 1.599,00

### Turntable Cables



Model	Golden Gate	Yosemite ● 72v DBS	Angel ● 72v DBS	WEL Signature Limited Edition ● 72v DBS
<b>Metal</b>	Solid Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper+ (PSC+)	Solid Perfect-Surface Silver (PSS)	
<b>Dielectric</b>	Foamed-Polyethylene	FEP Air-Tubes		
<b>Noise-Dissipation</b>	N/A	Carbon-Based Noise-Dissipation		Carbon-Based Multi-Layer Noise-Dissipation
<b>Capacitance</b>	Less than 90pF/1.5M			
<b>Jacket</b>	Red/Black Braid	Green/Black Braid	Silver/Black Braid	Gray/Black Braid
<b>Length</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>
1,2m	-	549,00	1.299,00	2.499,00
1,5m	149,00	-	-	-



## Vinyl and Headphone Accessories

### GroundGoody Tonearm & Ground Wires

Unlike other ground wires that act as radio-frequency antennas, Black Hole, ThunderBird and Dragon GroundGoody's prevent hum while efficiently dissipating radio-frequency noise. GroundGoody's use premium conductor materials that are controlled for direction and cold-welded to Direct-Silver Plated #10 size spade lugs. Further, AudioQuest's RF/ND-Tech dissipates and cancels most induced radio-frequency noise.



#### Black Hole GroundGoody

Solid 6% Silver + Carbon RF Trap

Meters	EU Retail
0,75m	59,00
1,5m	69,00
2,25m	79,00
3m	89,00
5m	109,00



#### ThunderBird GroundGoody

Solid 6% Silver + RF/ND-Tech

Meters	EU Retail
0,6m	119,00
1m	139,00
1,5m	159,00
2m	179,00
3m	219,00



#### Dragon GroundGoody

Solid Perfect-Surface Silver + RF/ND-Tech

Meters	EU Retail
0,6m	449,00
1m	599,00
1,5m	799,00
2m	999,00
3m	1.399,00



#### Silver Anti-Static Record Brush

1,086,000 Highly Conductive Carbon Fibers with No-Resistance Path to Finger-Grip

EU Retail: 19,95



#### Gold Anti-Static Record Brush

1,248,000 Highly Conductive Carbon Fibers with No-Resistance Path to Finger-Grip

EU Retail: 29,95



#### HL-5 Headshell Leads

Silk-wrapped Linear-Crystal Copper Litz Conductors

Set of 4

EU Retail: 69,95



#### NightBird Headphone Cable

- Fits NightHawk and NightOwl Headphones
- Perfect-Surface Copper+ (PSC+)
- Noise-Dissipation
- Robust: Tested to 28,000 bends

Meters	EU Retail
2m	109,00
3m	139,00
4m	169,00



#### Perch Headphone Stand

- Easily and safely accommodates all headphones
- High-quality materials
- Heavy base provides stability

EU Retail: 99,00

## HDMI: 0,75m–5m Cables

### 18Gbps 4K and 48Gbps 8K-10K

- All models use Solid Signal and Ground-Reference Conductors.
- All 19 conductors (A/V, eARC, Ground-Reference Drains, Control, Power) are Direction-Controlled.
- AudioQuest "48" HDMI cables have the bandwidth required for video with resolutions up to 10K, resolutions/refresh rates up to 8K/60 and 4K/120.
- For long-length models (Pearl 18, Forest 18, Root Beer 18, Cherry Cola 18, and Cherry Cola 48), see page 39.

**BlueBerry 18, Pearl 48, Forest 48, and Cinnamon 48 available in Installer 5-Packs, page 61.**



Model	BlueBerry 18	Pearl 48	Forest 48	Cinnamon 48	Carbon 48	Vodka 48	ThunderBird 48	FireBird 48 ● 72v DBS	Dragon 48 ● 72v DBS
<b>A/V Conductor</b>	Solid Long-Grain Copper (LGC)		0,5% Silver	1,25% Silver	5% Silver	10% Silver	10% Silver	100% PSS Silver	100% PSS Silver
<b>eARC Conductor</b>	Solid Long-Grain Copper (LGC)		0,5% Silver	1,25% Silver	5% Silver	10% Silver	10% Silver	100% PSS Silver	100% PSS Silver
<b>Ground Reference</b>	Tinned Copper			0,5% Silver	1,25% Silver	5% Silver	10% Silver	10% Silver	100% PSS Silver
<b>Noise-Dissipation</b>	All 19 Conductors Direction-Controlled			Carbon + Metal + Direction	Carbon + Metal + Direction	Carbon + Metal + Direction	Graphene + Global Carbon + Direction	72v DBS, Graphene + Global Carbon + Direction	
<b>Jacket 0,6-2m</b>	CMG (CL3/FT4) PVC			Red Braid	Carbon Braid	Blue Braid	Blue Braid	Red Braid	Black Braid
<b>Jacket 3m</b>	CMG (CL3/FT4) PVC			Red Braid or PVC	Carbon Braid	Blue Braid	Blue Braid	Red Braid	Black Braid
<b>Jacket 5m</b>	CMG (CL3/FT4) PVC			-	-	-	-	-	-
<b>Length</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>
0,6m	29,95	39,95	69,00	139,00	179,00	449,00	759,00	1.599,00	2.299,00
1m	34,95	44,95	79,00	159,00	199,00	519,00	899,00	1.799,00	2.699,00
1,5m	39,95	49,95	99,00	179,00	249,00	599,00	1.049,00	2.049,00	3.199,00
2m	44,95	59,95	119,00	199,00	299,00	679,00	1.199,00	2.399,00	3.699,00
3m	59,95	79,95	159,00	269,00	399,00	839,00	1.499,00	3.199,00	4.699,00
5m	99,95	199,95	299,00	449,00	-	-	-	-	-

## HDMI: Long-Length Cables

### 18Gbps 4K and 48Gbps 8K-10K

- Pearl 18 and Forest 18 employ active frequency equalization to enable 18Gbps performance for lengths up to 15m.
- Root Beer 18 active optical cable provides 18Gbps performance for lengths up to 30m.
- Certified Ultra High Speed by HDMI Licensing, Cherry Cola 48 active optical cables provide 48Gbps performance for lengths up to 15m.



Model	Pearl 18 Long Distance	Forest 18 Long Distance	Root Beer 18 Optical	Cherry Cola 48 Optical
<b>A/V Conductor</b>	LGC	0,5% Silver	Quartz-Glass	
<b>eARC Conductor</b>	LGC	0,5% Silver	LGC	0,5% Silver
<b>Ground Reference</b>	Tinned Copper			0,5% Silver
<b>Noise-Dissipation</b>	All 19 Conductors Direction-Controlled		Galvanic Isolation + Direction	Carbon + Galvanic Isolation
<b>Jacket</b>	CMG (CL3/FT4) PVC			
<b>Length</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>
5m	-	-	469,00	999,00
7,5m	239,00	369,00	-	-
10m	289,00	459,00	549,00	1.099,00
12,5m	359,00	549,00	-	-
15m	469,00	-	619,00	1.199,00
20m	-	-	679,00	-
25m	-	-	739,00	-
30m	-	-	819,00	-

## HDMI: eARC-Priority Cables

### 48Gbps 8K-10K


- When using a TV's eARC/ARC output as the audio source to a soundbar or an A/V receiver or an amplifier's ARC input, eARC-Priority models offer their namesake models ARC performance for less than half the price of the namesake model. This is possible because the cables' unused A/V data pairs "only" offer better-than-Cinnamon 48 performance.



Model	Vodka eARC Priority 48	ThunderBird eARC Priority 48	Dragon eARC Priority 48 ● 72v DBS
<b>A/V Conductor</b>	0,5% Silver		
<b>eARC Conductor</b>	10% Silver		100% PSS Silver
<b>Ground Reference</b>	5% Silver eARC	10% Silver eARC	100% PSS Silver eARC
<b>Noise-Dissipation</b>	Carbon + Metal + Direction	Graphene + Global Carbon + Direction	72v DBS, Graphene + Global Carbon + Direction
<b>Jacket 0,75-2m</b>	Blue Braid	Blue Braid	Black Braid
<b>Jacket 3.0m</b>	CMG (CL3/FT4) PVC		
<b>Length</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>
0,6m	219,00	459,00	1.099,00
1m	239,00	499,00	1.199,00
1,5m	269,00	549,00	1.399,00
2m	299,00	599,00	1.599,00
3m	369,00	699,00	1.999,00

## HDMI Accessories

Certain HDMI Adaptors available in Installer 5-Packs, page 61.



### HDMI 90°/W Adaptor

Wide Side [W]  
Right Angle Bend

Euro Retail: 19,95



### HDMI 90°/N Adaptor

Narrow Side [N]  
Right Angle Bend

Euro Retail: 19,95



### HDMI 90° NU/R Flat Adaptor

Narrow Up [NU]  
Bends Right

Euro Retail: 19,95



### HDMI 90° NU/L Flat Adaptor

Narrow Up [NU]  
Bends Left

Euro Retail: 19,95



### HDMI A ↔ A Coupler

Female HDMI to Female  
HDMI

Euro Retail: 19,95



### Mini Display Port to HDMI 4K Adaptor

Euro Retail: 39,95



### DVI-IN > HDMI-OUT Adaptor

F-DVI to M-HDMI

Euro Retail: 39,95

audioquest.






## USB Cables

All USB A - C, USB C - B, USB C - C, Micro B, and Lightning cables are available in 0,75m and 1,5m lengths only.  
For optimal sonic performance, all AudioQuest USB cables are Hi-Speed with a maximum signaling rate of 480Mbps.



Model	Pearl	Forest	Cinnamon	Carbon	Coffee ● 72v DBS	Diamond ● 72v DBS
<b>Metal (USB A-B)</b>	Solid Long-Grain Copper (LGC)	Solid 0,5% Silver	Solid 1,25% Silver	Solid 5% Silver	Solid 10% Silver	Solid 100% Perfect-Surface Silver (PSS)
<b>Metal (All Other Versions)</b>	Long-Grain Copper (LGC) Semi-Solid Concentric	0,5% Silver Semi-Solid Concentric	1,25% Silver Semi-Solid Concentric	5% Silver Semi-Solid Concentric	N/A	Solid 100% Perfect-Surface Silver (PSS)
<b>Dielectric</b>	Hard-Cell Foam					
<b>Noise-Dissipation</b>	Metal-Layer Noise-Dissipation			Carbon-Based Noise-Dissipation for USB A - B		
<b>Jacket</b>	Black PVC with White Stripes	Black PVC with Green Stripes	USB A-B: Red/Black Braid All others: Black PVC with Red Stripes	Gray/Black Braid	Brown/Black Braid	USB A-B: Silver/Black Braid All others: Black PVC with Silver Stripes
<b>Available Configurations</b>	<b>USB A - B</b> <b>USB A - Micro B</b>	<b>USB A - B</b> <b>USB A - C</b> <b>USB A - Micro B 2.0</b> <b>USB A - Lightning</b> <b>USB C - B</b> <b>USB C - C</b> <b>USB C - Lightning</b>	<b>USB A - B</b> <b>USB A - C</b> <b>USB A - Micro B 2.0</b> <b>USB A - Lightning</b> <b>USB C - B</b> <b>USB C - C</b> <b>USB C - Lightning</b>	<b>USB A - B</b> <b>USB A - C</b> <b>USB A - Micro B 2.0</b> <b>USB A - Lightning</b> <b>USB C - B</b> <b>USB C - C</b> <b>USB C - Lightning</b>	<b>USB A - B</b>	<b>USB A - B</b> <b>USB A - C</b> <b>USB A - Micro B 2.0</b> <b>USB A - Lightning</b> <b>USB C - B</b> <b>USB C - C</b> <b>USB C - Lightning</b>
<b>Length</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>
0,75m	39,95	79,00	109,00	199,00	439,00	769,00
1,5m	49,95	99,00	139,00	249,00	529,00	929,00
3m	69,95 (A-B Only)	119,00 (A-B Only)	179,00 (A-B Only)	349,00 (A-B Only)	769,00	1.259,00 (A-B Only)
5m	99,95 (A-B Only)	159,00 (A-B Only)	239,00 (A-B Only)	499,00 (A-B Only)	979,00	1.699,00 (A-B Only)

## USB Connector Applications

USB A	USB B	USB C	Micro B 2.0	Lightning
 <p>For all devices that use the original USB connection.</p>	 <p>Typically for use with computer peripherals, such as hard drives and network devices, as well as digital-audio components, including DACs and streamers.</p>	 <p>Typically for use with newer devices, including desktops, laptops, smartphones, tablets, game consoles, hard drives, and more.</p>	 <p>Typically for use with compact and mobile devices, including Android smartphones and computer peripherals.</p>	 <p>For use with Apple devices, including iPhones and iPads.</p>



audioquest.

## USB Accessories



USB 3.1 Gen 2 C → A Adaptor

Euro Retail: 24,95



USB B ↔ Micro B 2.0 Adaptor

Euro Retail: 19,95



USB Mini B ↔ Micro B 2.0 Adaptor

Euro Retail: 17,95



JitterBug FMJ

USB 2.0 Noise Filter (Data & Power)




Euro Retail: 69,00





## Optical Cables

Pearl, Forest, and Cinnamon available in Installer 5-Packs, page 60.



Model	Pearl	Forest	Cinnamon	Carbon	Vodka
<b>Conductors</b>	Low-Dispersion Fiber	Low-Dispersion High-Purity Fiber	Lower-Dispersion Highest-Purity Fiber	19 Narrow-Aperture Highest-Purity Synthetic Fibers	217 Narrowest-Aperture Highest-Purity Synthetic Fibers
<b>Jacket</b>	Black with Gray Stripes In-Wall Rated PVC	0,75m and 1,5m: Green/Black Braid 3m and Longer: In-Wall Rated PVC	0,75m and 1,5m: Red/Black Braid 3m and Longer: In-Wall Rated PVC	0,75m to 5m: Gray/Black Braid 8m and Longer: In-Wall Rated PVC	0,75m to 5m: Blue/Black Braid 8m and Longer: In-Wall Rated PVC
<b>Length</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>
0,75m	34,95	54,95	79,00	139,00	269,00
1,5m	39,95	64,95	99,00	189,00	349,00
3m	59,95	99,95	149,00	269,00	549,00
5m	79,95	139,95	199,00	379,00	749,00
8m	109,95	199,95	299,00	549,00	1.099,00
12m	149,95	279,95	429,00	749,00	1.499,00
16m	189,95	359,95	549,00	949,00	1.799,00

Pearl available in both 3,5mm Mini to Full-Size, and Full-Size to Full-Size.  
Forest, Cinnamon, Carbon, and Vodka come in Full-Size to Full-Size with 3,5mm Mini Adaptor included.

### Optical Accessory



**Optical Mini Adaptor**

**Euro Retail: 17,95**

2024 Maio

## Digital Coax Cables

Forest available in Installer 5-Packs, page 61.



### RCA > BNC

Recommended for Forest through Diamond.  
Fully acceptable for Wild and WEL when BNC needed only on one end, or to keep an RCA/RCA cable universally useful.

**Euro Retail: 19,95**



Model	Forest	Cinnamon	Carbon	Coffee ● 72v DBS	Diamond ● 72v DBS	Wild	WEL Signature
<b>Metal</b>	Solid 0,5% Silver	Solid 1,25% Silver	Solid 5% Silver	Solid 10% Silver	Solid 100% Perfect-Surface Silver (PSS)		
<b>Gauge</b>	24 AWG			21 AWG			
<b>Dielectric</b>	Hard-Cell Foam						
<b>Noise-Dissipation</b>	Metal-Layer Noise-Dissipation		Carbon-Based Multi-Layer Noise-Dissipation			Carbon-Based Multi-Layer Noise-Dissipation, 2 x EMI Absorption	Carbon-Based Multi-Layer Noise-Dissipation, 3 x EMI Absorption
<b>Jacket</b>	Black PVC with Green Stripes	Red/Black Braid	Black/Dark Gray Braid	Brown/Black Braid	Silver/Black Braid	Navy Blue Braid	Black Braid
<b>Terminations</b>	Cold-Welded, Gold-Plated		Cold-Welded, Hanging-Silver Directly Over Pure Purple Copper	Cold-Welded, Hanging-Silver Directly Over Pure Red Copper		Cold-Welded, Hanging-Silver Directly Over Machined Pure Red Copper	
<b>Shield</b>	Foil + Tinned Braid	Foil + Silver-Plated Braid		Silver-Plated Braid		Copper Foil + 100% PSS-Silver Spiral	
<b>Application</b>							
<b>RCA</b>	Yes						
<b>BNC</b>	No (Requires Female RCA to Male BNC adaptor)					Yes	
<b>Length</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>
0,75m	44,95	89,00	249,00	649,00	1.219,00	2.500,00	3.900,00
1m	-	-	269,00	699,00	1.399,00	2.750,00	4.300,00
1,5m	54,95	109,00	309,00	799,00	1.749,00	3.250,00	5.100,00
2m	-	-	349,00	899,00	2.099,00	3.750,00	5.900,00
3m	74,95	149,00	429,00	1.099,00	2.799,00	4.750,00	7.500,00
5m	99,95	199,00	589,00	1.499,00	4.199,00	6.750,00	10.700,00
<b>Other prepared lengths use formula:</b>	-	-	80,00/m + 189,00	200,00/m + 499,00	700,00/m + 699,00	1.000,00/m + 1.750,00	1.600,00/m + 2.700,00

## AES/EBU (Balanced) Cables



 audioquest.

Model	Carbon	Wild ● 72v DBS	WEL Signature ● 72v DBS
<b>Metal</b>	Solid 5% Silver	Solid 100% Perfect-Surface Silver (PSS)	
<b>Gauge</b>	0,2mm <sup>2</sup>	0,41mm <sup>2</sup>	
<b>Dielectric</b>		Hard-Cell Foam	
<b>Noise-Dissipation</b>	Carbon-Based Multi-Layer Noise-Dissipation	Carbon-Based Multi-Layer Noise-Dissipation, 2 x EMI Absorption	Carbon-Based Multi-Layer Noise-Dissipation, 3 x EMI Absorption
<b>Jacket</b>	Dark Gray/Black Braid	Navy Blue Braid	Black Braid
<b>Termination</b>	Cold-Welded, Hanging-Silver Directly Over Pure Purple Copper	Cold-Welded, Hanging-Silver Directly Over Machined Pure Red Copper	
<b>Shield</b>	Foil + Tinned Braid	Foil + Silver-Plated Spiral	
Length	Euro Retail	Euro Retail	Euro Retail
0,75m	289,00	2.900,00	4.900,00
1m	319,00	3.200,00	5.400,00
1,5m	379,00	3.800,00	6.400,00
2m	439,00	4.400,00	7.400,00
3m	559,00	5.600,00	9.400,00
5m	799,00	8.000,00	13.400,00
<b>Other prepared lengths use formula:</b>	<b>120,00/m + 199,00</b>	<b>1.200,00/m + 2.000,00</b>	<b>2.000,00/m + 3.400,00</b>

## Ethernet Cables (RJ/E)

Pearl, Forest and Cinnamon available in Installer 5-Packs, page 61.



Model	Pearl	Forest	Cinnamon	Vodka	Diamond 72v DBS
<b>Metal</b>	Solid Long-Grain Copper (LGC)	Solid 0,5% Silver	Solid 1,25% Silver	Solid 10% Silver	Solid 100% Perfect-Surface Silver (PSS)
<b>Dielectric</b>	Geometry Stabilizing Solid High-Density Polyethylene				
<b>Noise-Dissipation</b>	Direction-Controlled Conductors			Carbon-Based Noise-Dissipation	
<b>Jacket</b>	CMG (CL3 & FT4) Rated Black PVC with Gray Stripes	CMG (CL3 & FT4) Rated Black PVC with Green Stripes	Up to 3,0m: Red/Black Braid 5,0m and Longer: CMG (CL3 & FT4) Rated Black PVC with Red Stripes	Up to 3,0m: Blue/Black Braid 5,0m and Longer: CMG (CL3 & FT4) Rated Black PVC with Blue Stripes	Silver/Black Braid
<b>Termination</b>	Gold-Plated Nickel Connectors with 100% Shield Coverage			Precision-Made Low-Loss Ultra-Wide Bandwidth Telegärtner Connectors with 100% Shield Coverage and Strain Relief	
<b>Length</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>
0,75m	39,95	79,00	119,00	549,00	1.399,00
1,5m	59,95	99,00	139,00	699,00	2.199,00
3m	79,95	129,00	179,00	949,00	3.699,00
5m	119,95	169,00	239,00	1.349,00	5.399,00
8m	169,95	239,00	329,00	1.999,00	8.699,00
12m	229,95	329,00	449,00	2.749,00	12.999,00

## Accessories



### Level-X DBS Pack 72v + Noise-Dissipation

- Niagara Custom-Built Noise-Trap Dissipates RF Noise
- 72v Dielectric-Bias System Reduces Dielectric-Noise

**Euro Retail Each: 139,00**



### SorboGel Q-Foot System

Set of 4 energy-absorbing feet each with a "tray" which improves performance and protects furniture. Each foot supports up to 4 kg.

**Euro Retail: 159,00**



### Fog Lifters

For use with audio and AC power cables, Fog Lifters reduce the RF noise that capacitively couples into cables through all solid materials (carpet, stone, wood, etc.)

**Set of 8 Euro Retail: 159,00**



### Cable Clips

Fast and easy way to hold AudioQuest's largest cables in place.

#### AC Power Cables:

- Thunder, Tornado, Hurricane, FireBird, Dragon

#### Speaker Cables:

- Robin Hood, William Tell
- ThunderBird, FireBird, Dragon

#### Interconnect Cables (RCA and XLR):

- ThunderBird, FireBird, Dragon

**Set of 6 Euro Retail: 10,00**



### CleanScreen Kit

150 ml. Bottle + 10 ml. Spray + Retractable Brush

**Euro Retail: 29,95**



### Sorbothane Self-Stick Sheet

15,24cm x 15,24cm x 0,25cm sheet can be cut to size to damp anything, especially effective on top surface of speaker stands.

**Euro Retail: 54,95**



### Binding-Post Wrench

Real tool-quality double-ended nut driver with metal inserts.

Fits 11,1 mm and 12,7mm binding posts.

**Euro Retail: 19,95**

Accessories



**RCA <-> BNC Adaptor**  
Female RCA to/from Male BNC

**Euro Retail: 19,95**



**F > RCA Male Adaptor**  
Female RCA to Male RCA

**Euro Retail: 12,95**



**F > BNC Male Adaptor**  
75Ω

**Euro Retail: 19,95**



**F > 2F Splitter**  
3GHz 75Ω

**Euro Retail: 19,95**



**F > 4F Splitter**  
3GHz 75Ω

**Euro Retail: 25,95**




**F <-> F**  
75Ω Coupler

**Euro Retail: 8,95**



**F-90°**  
Male <-> Female Adaptor

**Euro Retail: 12,95**



**Antenna 90°**  
Male <-> Female Adaptor

**Euro Retail: 9,95**

Antenna Cable



Model	Antenna HD6 Forest
Conductor	Solid 0,5% Silver
Shield	3-Layer Shield: Foil + 90% Braid + Foil
Jacket	Dark Gray with Green Stripes
<b>Application</b>	
Male Coax - Male Coax	Yes
Male Coax - Female Coax	Yes
Female Coax - Female Coax	Yes
F - F	Yes
<b>Length</b>	<b>Euro Retail</b>
1,5m	50,00
3m	65,00
4,5m	80,00

## Accessories

### RCA-300

Fits cables up to 7,0mm O.D.  
Gold-Plated. Requires soldering.



**#300 Male**  
Set of 4

**Euro Retail: 60,00**

**#300 Female**  
Set of 4

**Euro Retail: 60,00**

### RCA-800

Fits cables up to 9,0mm O.D.  
Direct-Silver Plated. Requires soldering.



**#800 Male**  
Set of 4

**Euro Retail: 80,00**

### XLR Connectors

Fits cables up to 9,0mm O.D.  
Direct-Silver Plated. Requires soldering.



**#81 Male**  
Pair

**Euro Retail: 120,00**

**#80 Female**  
Pair

**Euro Retail: 120,00**

### Right-Angle F and RCA Plugs

Fits cables up to 7,5mm O.D.  
Gold-Plated. Requires soldering.



**F-90°**  
Pair

**Euro Retail: 50,00**

**RCA-90°**  
Pair

**Euro Retail: 50,00**

**audioquest.**

## Accessories



**RJ45 Noise-Stopper Caps**  
AQ Noise-Stopper Caps fit over unused RJ45 inputs or outputs, preventing RFI and EMI noise from entering the active circuit. Noise-Stopper Caps also protect against dust and corrosion.

**Set of 4**  
**Euro Retail: 34,95**



**USB-A Noise-Stopper Caps**  
AQ Noise-Stopper Caps fit over unused USB inputs or outputs, preventing RFI and EMI noise from entering the active circuit. Noise-Stopper Caps also protect against dust and corrosion.

**Set of 4**  
**Euro Retail: 34,95**



**HDMI Noise-Stopper Caps**  
AQ Noise-Stopper Caps fit over unused HDMI inputs or outputs, preventing RFI and EMI noise from entering the active circuit. Noise-Stopper Caps also protect against dust and corrosion.

**Set of 4**  
**Euro Retail: 34,95**



**XLR Input (Female) Noise-Stopper Caps**  
Blocks a significant path for incoming high-frequency energy to interfere with circuit performance.

**Euro Retail per Pair: 44,95**



**XLR Output (Male) Noise-Stopper Caps**  
Blocks a significant path for incoming high-frequency energy to interfere with circuit performance.

**Euro Retail per Pair: 44,95**








**RCA Noise-Stopper Caps**  
Blocks a significant path for incoming high-frequency energy to interfere with circuit performance.



**Set of 10**  
**Euro Retail: 54,95**

## Tools

All the Tools necessary to Cut, Strip, Prepare, and Terminate any AudioQuest Cable




	<p><b>Cat6/6a/7 Crimper Tool and Die</b> Includes Cat6 and Cat 7 Die</p>		<p><b>Rivers Interconnect Crimper Tool</b> Use with either AudioQuest Chicago RCA, Red River and Mackenzie RCA or XLR plugs.</p>
	<p><b>Cat6 Die</b> Also sold separately</p>		<p><b>Klein Crimper Tool</b> For connectors up to 10 AWG</p>
	<p><b>AQ Ratchet Crimper Tool</b> For up to 8 AWG Conductors</p>		

**Klein Cable Cutter**


**Wire Stripper/Cutter/Plier Combo Tool**

**Ideal Articulated Stripper**  
For 8-22 AWG Conductors

**Paladin Jacket Stripper**  
Cleanly and easily removes the jacket on all AudioQuest Interconnect and Speaker Cables

	<p><b>AQ Silver Solder</b> Easy to use. Clearly sounds better.</p> <p><b>454g Solder</b> Euro Retail: 350,00</p> <p><b>113.5g Solder</b> Euro Retail: 100,00</p>
--	--

## Instant Tool-less Connectors (ITC) for Analog-Audio, Mini-Coax, and RG6 Cables on Spools



### ITC One-Step Stripper for 18 and 24 AWG

For HD6, ITA, and ITV Cables

Euro Retail: 10,00

### 18 AWG Connectors and Cables for Video, RF, Digital, Subwoofer



**ITC-18G**  
RCA  
Euro Retail  
per piece:  
3,75

Supplied in  
bags of 50



**ITC-18G**  
F  
Euro Retail  
per piece:  
3,00

Supplied in  
bags of 50



**ITC-18G**  
BNC  
Euro Retail  
per piece:  
5,50

Supplied in  
bags of 50



**ITC-18G**  
EU Coax M  
Euro Retail  
per piece:  
3,50

Supplied in  
bags of 50



**ITC-18G**  
EU Coax F  
Euro Retail  
per piece:  
3,50

Supplied in  
bags of 50

	HD6 Pearl	HD6 Forest	HD6 Carbon
<b>Metal</b>	Solid Conductive-Coated Copper	Solid 0,5% Silver	Solid 5% Silver
<b>Shield</b>	3-Layer Shield: Foil + 90% Braid + Foil		4-Layer Shield: Carbon-Loaded PE + Foil + 90% Braid + Foil
<b>CL3 Jacket Color Choices</b>	Dark Gray or White Stripes	Gray, Green or White Stripes	Black, Gray, or White Stripes
<b>Length</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>
<b>76m Spool</b>	-	-	20,00/m
<b>152m Spool</b>	6,50/m	10,00/m	-

### 24 AWG Connectors and Cables for Analog-Audio and Video



**ITC-24G**  
RCA  
Euro Retail  
per piece:  
3,75

Supplied in  
bags of 50



**ITC-24G**  
F  
Euro Retail  
per piece:  
3,75

Supplied in  
bags of 50



**ITC-24G**  
BNC  
Euro Retail  
per piece:  
5,50

Supplied in  
bags of 50

	ITA-1/1	ITA-3/3	ITA-5/5
<b>Audio</b>			
<b>Center Conductor Metal</b>	Solid Long-Grain Copper (LGC)	Solid Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper+ (PSC+)
<b>Neg. Conductor/Shield</b>	LGC HyperLitz	PSC HyperLitz	PSC+ HyperLitz
<b>CL3 Jacket</b>	Blue (Pair)	Green (Pair)	Dark Gray (Pair)
<b>Length</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>
<b>15m Spool</b>	12,50/m	-	-
<b>76m Spool</b>	12,50/m	20,00/m	30,00/m
<b>152m Spool</b>	12,50/m	-	-

#### Color Bands for 18 and 24 AWG ITC Connectors

Silicon rubber bands fit all ITC connectors—even after they're attached to the cable—for easy cable identification. Available in bags of 20. One color per bag - no mixed colors. Available in 10 colors.

**Bag of 20**  
**Euro Retail:**  
17,50



## CL3/FT4 In-Wall Rated Bulk Speaker Cables

16/2 + 14/2    16/4 + 14/4



Model	SLiP-DB 16/2	SLiP-DB 16/4	SLiP-DB 14/2	SLiP-DB 14/4	SLiP XTRM 14/2	SLiP XTRM 14/4	SLiP-LSZH 16/2	SLiP-LSZH 14/2
<b>Metal</b>	Semi-Solid Concentric LGC				Semi-Solid True Concentric PSC and LGC		Semi-Solid Concentric LGC	
<b>Gauge</b>	2 x 1,31mm <sup>2</sup>	4 x 1,31mm <sup>2</sup>	2 x 2,08mm <sup>2</sup>	4 x 2,08mm <sup>2</sup>	2 x 2,08mm <sup>2</sup>	4 x 2,08mm <sup>2</sup>	2 x 1,31mm <sup>2</sup>	2 x 2,08mm <sup>2</sup>
<b>Jacket</b>	White PVC with Silver Stripes or Gray PVC with Red Stripes				Dark Gray PVC with Blue Stripes		LSZH (Low Smoke Zero Halogen) White PVC with Silver Stripes	
<b>Length</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>
50m Spool	-	-	-	-	30,00/m	-	-	-
100m Spool	-	-	-	-	30,00/m	55,00/m	-	-
152m Spool	6,50/m	10,00/m	9,00/m	14,00/m	-	-	9,75/m	12,50/m

Model	Type 5	Rocket 11	Rocket 22	Rocket 33	Rocket 44	Rocket 88
<b>Metal</b>	Solid PSC+ Sonic-Signature Conductors and LGC	Semi-Solid Concentric LGC	Semi-Solid Concentric PSC and LGC	Solid PSC and LGC	Solid PSC+ and PSC	Solid PSC+
<b>Gauge</b>	1,65mm <sup>2</sup>	2,08mm <sup>2</sup>	3,31mm <sup>2</sup>	2,08mm <sup>2</sup>	2,63mm <sup>2</sup>	
<b>Geometry</b>	Star-Quad	Double-Spiral		Double Star-Quad		
<b>Dielectric</b>	N/A	PVC		Foamed-Polyethylene (For All Positive Conductors)		
<b>Noise-Dissipation</b>	Carbon-Based Noise-Dissipation	Non	Carbon-Based Noise-Dissipation			
<b>Jacket</b>	Red Striped PVC	Black or White PVC	Black or White PVC	Black PVC with Red Stripes	Black PVC with Gloss Black Matte Stripes	Black PVC with Green Stripes
<b>Single BiWire Capable</b>	N/A	Yes				
<b>Length</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>
50m Spool	-	20,00/m	50,00/m	70,00/m	100,00/m	130,00/m
100m Spool	30,00/m	20,00/m	50,00/m	70,00/m	-	-

Termination "Pants" available for Type 5, Rocket 11/22/33/44/88, page 57.

## Bulk Speaker Cables – Not In-Wall Rated



Model	G2	X2	Q2
<b>Metal</b>	Semi-Solid Concentric Long-Grain Copper (LGC)		
<b>Gauge</b>	1,31mm <sup>2</sup>	2,08mm <sup>2</sup>	1,65mm <sup>2</sup>
<b>Jacket</b>	Dark Gray PVC or Off-White PVC	Dark Gray PVC or Off-White PVC	Black PVC or White PVC
<b>Length</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>
<b>10m - White Only</b>	<b>70,00</b>	-	-
<b>30m Pack - White Only</b>	<b>210,00</b>	<b>250,00</b>	-
<b>100m spool</b>	<b>7,00/m</b>	<b>10,00/m</b>	<b>16,50/m</b>

Note: For 100m spools, retail price per meter is listed. Other packaged lengths are shown with retail price per pack.



Model	Rocket 33	Rocket 44	Rocket 88
<b>Metal</b>	Solid Perfect-Surface Copper (PSC) and Long-Grain Copper (LGC)	Solid Perfect-Surface Copper+ (PSC+) and Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper+ (PSC+)
<b>Gauge</b>	2,08mm <sup>2</sup>	2,63mm <sup>2</sup>	
<b>Geometry</b>	Double Star-Quad		
<b>Dielectric</b>	Foamed-Polyethylene (For All Positive Conductors)		
<b>Noise-Dissipation</b>	Carbon-Based Noise-Dissipation		
<b>Jacket</b>	Red/Black Braid	Silver/Black Braid	Green/Black Braid
<b>Single BiWire Capable</b>	Yes		
<b>Length</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>
<b>50m Spool</b>	<b>70,00/m</b>	<b>100,00/m</b>	<b>130,00/m</b>
<b>100m Spool</b>	<b>70,00/m</b>	-	-

Termination "Pants" available for Type 5, Rocket 33/44/88, page 57.

2024 Maio

## SureGrip® Speaker Connectors

Fits up to 6,63mm<sup>2</sup> Speaker Cables



**SureGrip® 100 Banana**  
Direct-Silver or Gold over Beryllium-Copper

Set of 2  
Euro Retail: 25,00



**SureGrip® 100 Multi-Spade**  
Direct-Silver or Gold Plating over Purple Copper

Set of 2  
Euro Retail: 25,00



Allen Tool  
Included



**SureGrip® 300 Banana**  
Direct-Silver or Gold over Beryllium-Copper

Set of 4  
Euro Retail: 60,00  
Tray of 40  
Euro Retail: 600,00



**SureGrip® 300 Multi-Spade**  
Direct-Silver or Gold Plating over Purple Copper

Set of 4  
Euro Retail: 60,00  
Tray of 40  
Euro Retail: 600,00



Allen Tool  
Included



Black  
Labels  
Included



**500 Series Banana or Multi-Spade**  
Hanging-Silver directly over pure Purple Copper or Hanging-Gold directly over pure Purple Copper. Silver or Gold.

Set of 4  
Euro Retail: 129,00

Set of 6  
Euro Retail: 195,00



Combination  
Allen and  
Phillips Tool  
Included



**1000 Series Banana or Multi-Spade**  
Hanging-Silver directly over pure Red Copper.

Set of 4  
Euro Retail: 219,00










Set of 6  
Euro Retail: 329,00



Combination  
Allen and  
Phillips Tool  
Included

## Spade, Pin, and Banana Connectors

Supplied with Red and Black "Boots" (except 1002)


 <p><b>1410/S 1410/G</b> Direct-Silver Plated and Direct-Gold Plated Up to 2,08 mm<sup>2</sup> 4,76mm Binding Post</p> <p><b>Set of 4</b> <b>Euro Retail: 60,00</b></p>	 <p><b>1010/S 1010/G</b> Direct-Silver Plated and Direct-Gold Plated Up to 5,26 mm<sup>2</sup> 4,76mm Binding Post</p> <p><b>Set of 4</b> <b>Euro Retail: 80,00</b></p>	 <p><b>1414/S 1414/G</b> Direct-Silver Plated and Direct-Gold Plated Up to 2,08 mm<sup>2</sup> 6,35mm Binding Post</p> <p><b>Set of 4</b> <b>Euro Retail: 60,00</b></p>
 <p><b>1014/S 1014/G</b> Direct-Silver Plated and Direct-Gold Plated Up to 5,26 mm<sup>2</sup> 6,35mm Binding Post</p> <p><b>Set of 4</b> <b>Euro Retail: 60,00</b></p>	 <p><b>1056/S 1056/G</b> Direct-Silver Plated and Direct-Gold Plated Up to 5,26 mm<sup>2</sup> 7,94mm Binding Post</p> <p><b>Set of 4</b> <b>Euro Retail: 60,00</b></p>	 <p><b>P10M/S P10M/G</b> Hanging-Silver and Hanging Gold Up to 5,26 mm<sup>2</sup> 6,35mm and 7,94mm Binding Post</p> <p><b>Set of 4</b> <b>Euro Retail: 50,00</b></p>
 <p><b>BP10/S BP10/G</b> Direct-Silver Plated and Direct-Gold Plated Up to 5,26 mm<sup>2</sup> Bendable Pin Fits Almost Everything</p> <p><b>Set of 4</b> <b>Euro Retail: 40,00</b></p>	 <p><b>Crimp-BFA/S Crimp-BFA/G</b> Direct-Silver Plated and Direct-Gold Plated Up to 6,63 mm<sup>2</sup> Standard Banana Jack</p> <p><b>Set of 4</b> <b>Euro Retail: 40,00</b></p>	 <p><b>1002/S 1002/G</b> Direct-Silver Plated and Direct-Gold Plated Up to 6,63 mm<sup>2</sup> Standard Banana Jack</p> <p><b>Set of 4</b> <b>Euro Retail: 100,00</b></p>

## Termination "Pants" for Speaker Cables



	Full-Range	Single BiWire
Model	Euro Retail	Euro Retail
Rocket 11 Pants set/4	14,95	19,95
Rocket 22 Pants set/4	14,95	19,95
Rocket 33 Pants set/4	14,95	19,95
Rocket 44 Pants set/4	14,95	19,95
Rocket 88 Pants set/4	14,95	19,95
Type 5 Pants set/4	14,95	-

## CL3/FT4 In-Wall Rated Bulk Audio Interconnect Cables & Plugs



Model	Chicago	Red River	Mackenzie
<b>Metal</b>	Solid Long-Grain Copper (LGC)	Solid Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper+ (PSC+)
<b>Geometry</b>	Double-Balanced	Triple-Balanced (Separate Ground-Reference Conductor)	
<b>Dielectric</b>	Metal-Layer Noise-Dissipation		Carbon-Based Multi-Layer Noise-Dissipation
<b>Noise-Dissipation</b>	Metal-Layer Noise-Dissipation		Carbon-Based Multi-Layer Noise-Dissipation
<b>Jacket</b>	Green/Black Braid or CL3 Black PVC with Green Stripes	Red/Black Braid or CL3 Black PVC with Red Stripes	Brown/Black Braid or CL3 Black PVC with Brown Stripes
<b>Length</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>
50m	-	-	30,00m
100m	10,00/m	20,00/m	-

Note: For spools, retail price per meter is listed.

### Field Termination Connectors

To download Chicago, Red River, and Mackenzie cable termination manuals, go to <https://www.audioquest.com/custom-install/manuals>



### Rivers Interconnect Crimper Tool

Required with either AudioQuest Chicago RCA, Red River and Mackenzie RCA or XLR plugs.



#### Chicago RCA

Gold-Plated

Set of 4

Euro Retail: 89,00



#### Red River RCA

Gold-Plated

Set of 4

Euro Retail: 89,00



#### Red River XLR

Gold-Plated

Set of 4

Euro Retail: 169,00



#### Mackenzie RCA

Hanging-Silver over Purple Copper

Set of 4

Euro Retail: 109,00



#### Mackenzie XLR

Hanging-Silver over Purple Copper

Set of 4

Euro Retail: 199,00

## CL3/FT4 In-Wall Rated Bulk CAT6 and CAT7 Ethernet Cables & Plugs



	CAT 600 DCP	CAT 600 FMJ	CAT 700 Pearl	CAT 700 Forest	CAT 700 Carbon
<b>Metal</b>	Solid Long-Grain Copper (LGC)		Solid 0,5% Silver		Solid 5% Silver
<b>Shield</b>	N/A	Overall Shield	Overall Shield and Individual Pairs		
<b>Gauge</b>	23 AWG				
<b>Dielectric</b>	Solid High-Density Polyethylene		Hard-Cell Foam		
<b>Jacket</b>	CMG (CL3/FT4) Rated White PVC with Black Stripes or Dark Gray PVC with White Stripes	CMG (CL3/FT4) Rated White or Black PVC with Blue Stripes	CMG (CL3/FT4) Rated White or Medium Gray PVC with Yellow PVC	CMG (CL3/FT4) Rated White PVC with Green Stripes	CMG (CL3/FT4) Rated Dark Gray PVC with Black Stripes
<b>Length</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>	<b>Euro Retail</b>
152m	-	5,00/m	10,00/m	15,00/m	65,00/m
305m	3,75/m	-	-	-	-

Note: For spools, retail price per meter is listed.

### CAT6/7 Connectors

To download CAT600 and CAT700 cable termination manuals, go to <https://www.audioquest.com/custom-install/manuals>



### Cat6/6a/7 Crimper Tool and Die

Required to terminate our Cat6/7 cables and connectors, includes Cat6 and Cat7 Die.



**Cat6 Die**  
Also sold separately



Load Bar Connector Boot

### CAT600 DCP Connectors

Fits **CAT600DCP** cable and **standard unshielded Cat6** cables

**Each Euro** **Bag of 50**  
**Retail: 1,75** **Euro Retail: 87,50**



Load Bar Connector Boot

### CAT600 FMJ Connectors

Fits **CAT600FMJ, CAT700** and **standard shielded Cat6/Cat7** cables

**Each Euro** **Bag of 50**  
**Retail: 3,75** **Euro Retail: 187,50**



Load Bar Connector Boot

### CAT700 Connectors

Fits **CAT600FMJ, CAT700** and **standard shielded Cat6/Cat7** cables

**Each Euro** **Bag of 50**  
**Retail: 4,00** **Euro Retail: 200,00**



### CAT700 Telegärtner Male Connector

Fits all standard Cat6a/Cat7 cables

**Each**  
**Euro Retail: 29,50**

## Installer Packs

### Cables and Accessories in Installer-Friendly bags instead of hanging boxes.

Installer Packs provide exactly what you need to get the job done. Each Pack includes a number of high-value, high-performance AudioQuest pieces and comes with convenient integrated labels that you can peel off and place on your invoice. No retail packaging, no garbage in your truck, no excess waste or cost.



### Audio Interconnect Cables

Packs of 5



	Tower	Golden Gate	Alpha-Snake
<b>Length</b>	<b>Euro Retail per Cable</b>	<b>Euro Retail per Cable</b>	<b>Euro Retail per Pair</b>
0,5m	-	-	27,95
0,6m	45,95	119,00	-
1m	49,95	129,00	34,95
2m	59,95	149,00	39,95
3m	69,95	169,00	44,95

0,6m available in RCA - RCA only.

1 - 3m available in RCA - RCA, 3,5mm - RCA, 3,5mm - 3,5mm.

### Optical Cables

Packs of 5



	Pearl	Forest	Cinnamon
<b>Length</b>	<b>Euro Retail per Cable</b>	<b>Euro Retail per Cable</b>	<b>Euro Retail per Cable</b>
0,75m	34,95	54,95	79,00
1,5m	39,95	64,95	99,00
3m	59,95	99,95	149,00

Available in Full-to-Full configurations only.

### Audio Interconnect FLX-X RCA Splitters

Packs of 5



M22F	F22M
<b>Euro Retail Each</b>	<b>Euro Retail Each</b>
24,95	24,95

### AC Power C7 90° Adaptors

Packs of 10



E = Equal radius	U = Unequal radius
<b>Euro Retail Each</b>	<b>Euro Retail Each</b>
22,95	22,95

### HDMI Cables

Packs of 5




	BlueBerry	Pearl 48	Forest 48
<b>Length</b>	<b>Euro Retail per Cable</b>	<b>Euro Retail per Cable</b>	<b>Euro Retail per Cable</b>
0,6m	29,95	39,95	69,00
1m	34,95	44,95	79,00
1,5m	39,95	49,95	99,00
2m	44,95	59,95	119,00
3m	59,95	79,95	159,00
5m	99,95	199,95	299,00

BlueBerry meets the 18G bandwidth required for video up to 8K/30;  
Pearl 48, Forest 48, and Cinnamon 48 extend this capability up to 8K/60 and 4K/120.

### HDMI Adaptors

Packs of 5



HDMI 90°/W	HDMI 90°/N	HDMI 90° NU/R	HDMI 90° NU/L	HDMI Coupler
<b>Retail Each</b>	<b>Retail Each</b>	<b>Retail Each</b>	<b>Retail Each</b>	<b>Retail Each</b>
19,95	19,95	19,95	19,95	19,95

### Ethernet Cables (RJ/E)

Packs of 5



	Pearl	Forest	Cinnamon
<b>Length</b>	<b>Euro Retail per Cable</b>	<b>Euro Retail per Cable</b>	<b>Euro Retail per Cable</b>
0,75m	39,95	79,00	119,00
1,5m	59,95	99,00	139,00
3m	79,95	119,00	179,00
5m	119,95	169,00	239,00

### Digital Coax Cables

Packs of 5



	Forest
<b>Length</b>	<b>Euro Retail per Cable</b>
0,75m	44,95
1,5m	54,95
3m	74,95
5m	99,95